
Aim

Release 3.7.0

Gev Sogomonian, Gor Arakelyan et al.

Mar 09, 2022

CONTENTS

1	Overview	3
2	Get started with Aim	5
2.1	Installing Aim	5
2.2	Nightly releases	5
2.3	Initializing Aim repository	6
2.4	Tracking data with Aim SDK	6
2.5	Browsing results with Aim UI	7
2.6	Running Aim UI inside notebooks	7
2.7	Running Aim UI and tracking server inside Docker container	8
3	Integrate Aim into an existing project	9
3.1	Any python script	9
3.2	Integration with Pytorch Ignite	9
3.3	Integration with Pytorch Lightning	10
3.4	Integration with Hugging Face	10
3.5	Integration with Keras & tf.Keras	11
3.6	Integration with XGboost	11
4	Migrate from other tools	13
4.1	Show TensorFlow events in Aim	13
4.2	Show MLflow logs in Aim	15
5	Track media and objects	17
5.1	Image tracking with Aim	17
5.2	Audio tracking with Aim	18
5.3	Text tracking with Aim	19
5.4	Figure tracking with Aim	20
5.5	Tracking matplotlib figures with Aim	20
5.6	Logging activeloop/hub dataset info with Aim	21
6	Next steps	23
7	Overview	25
7.1	Pythonic Search	25
7.2	Explorers	25
7.3	Runs Management	26
7.4	Other Aim UI features	26
8	Home Page	27
8.1	Statistics and activity	27

8.2	Integrate Aim with your code	27
8.3	Get Involved	28
8.4	Explore Aim	28
9	Runs Management	29
9.1	Runs Explorer	29
9.2	Single run page	30
10	Explorers	33
10.1	Metrics Explorer	33
10.2	Images Explorer	40
10.3	Params Explorer	41
10.4	Scatters Explorer	42
11	Bookmarks	45
11.1	Overview	45
11.2	The Bookmark Card	45
11.3	Delete Bookmark	46
12	Tags page	47
12.1	Overview	47
12.2	Create tag	47
12.3	Attach tag	48
12.4	Update attached tags	48
12.5	Edit tag	48
12.6	Delete tag	49
12.7	Used in overlay	49
13	Manage runs	51
13.1	Create runs	51
13.2	Continue runs	51
13.3	Delete runs	52
14	Configure runs	53
14.1	Training Run Reproducibility	53
14.2	What data is logged automatically?	53
14.3	How to enable system params automatic logging?	53
15	Query runs and objects	55
16	Query language basics	57
16.1	Introduction	57
16.2	Searching	57
16.3	Searching metrics and images	59
16.4	Security restrictions	60
17	Track experiments with aim remote server (experimental feature)	61
17.1	Overview	61
17.2	Prerequisites	61
17.3	Server-side setup	61
17.4	Client-side setup	62
17.5	Message size limitations	65
17.6	Conclusion	65
18	Host Aim on Kubernetes (K8S)	67
18.1	Dockerfile	67

18.2	Volume	68
18.3	Deployment	69
18.4	Service	70
18.5	Conclusion	71
19	Run Aim UI on Jupyter Notebook	73
20	Run Aim UI on SageMaker Notebook instance	75
20.1	Using Terminal	76
20.2	Using Notebook Extension	76
21	Overview	77
21.1	Aim Components	77
22	Data storage - where Aim data is collected	79
22.1	Storage structure	79
22.2	What is the index container?	80
22.3	How data written to/read from the storage?	80
23	Storage indexing - how Aim data is indexed	81
23.1	Background	81
23.2	How things worked before?	81
23.3	Automatic indexing	81
23.4	Conclusion	81
24	Concepts	83
24.1	Aim Run	83
24.2	Aim Repo	83
24.3	Run Params	83
24.4	Run Sequence	84
24.5	Sequence Context	84
25	Track and compare GANs with Aim	85
25.1	Overview	85
25.2	Experiment	85
25.3	Track images with Aim	85
25.4	Explore the results with Aim UI	86
25.5	Conclusion	87
26	Aim CLI	89
26.1	init	89
26.2	version	90
26.3	up	90
26.4	upgrade	90
26.5	reindex	91
26.6	server	91
26.7	runs	91
26.8	convert	92
27	Aim SDK	93
27.1	aim.sdk.repo module	93
27.2	aim.sdk.run module	96
27.3	aim.sdk.objects.image	100
27.4	aim.sdk.objects.distribution	101
27.5	aim.sdk.objects.audio	102

27.6	aim.sdk.objects.text	102
27.7	aim.sdk.objects.figure	102
27.8	aim.sdk.sequence module	103
27.9	aim.sdk.sequences.metric module	103
27.10	aim.sdk.sequences.image_sequence module	103
27.11	aim.sdk.sequences.distribution_sequence module	104
27.12	aim.sdk.sequences.audio_sequence module	104
27.13	aim.sdk.sequences.text_sequence module	104
27.14	aim.sdk.sequences.figure_sequence module	104
27.15	aim.sdk.sequence_collection module	105
28	Aim Storage	107
28.1	aim.storage.arrayview module	107
29	Anonymized Telemetry	109
29.1	Motivation	109
29.2	How to opt out	109
30	Changelog	111
30.1	3.7.0 Mar 9, 2022	111
30.2	3.6.3 Mar 4, 2022	111
30.3	3.6.2 Mar 2, 2022	111
30.4	3.6.1 Feb 25, 2022	112
30.5	3.6.0 Feb 22 2022	112
30.6	3.5.4 Feb 15 2022	113
30.7	3.5.3 Feb 11 2022	113
30.8	3.5.2 Feb 10 2022	113
30.9	3.5.1 Feb 4 2022	113
30.10	3.5.0 Feb 3 2022	113
30.11	3.4.1 Jan 23 2022	114
30.12	3.4.0 Jan 22 2022	114
30.13	3.3.5 Jan 14 2022	115
30.14	3.3.4 Jan 10 2022	115
30.15	3.3.3 Dec 24 2021	115
30.16	3.3.2 Dec 20 2021	115
30.17	3.3.1 Dec 18 2021	115
30.18	3.3.0 Dec 17 2021	115
30.19	3.2.2 Dec 10 2021	116
30.20	3.2.1 Dec 8 2021	116
30.21	3.2.0 Dec 3 2021	116
30.22	3.1.1 Nov 25 2021	116
30.23	3.1.0 Nov 20 2021	116
30.24	3.0.7 Nov 17 2021	117
30.25	3.0.6 Nov 9 2021	117
30.26	3.0.5 Nov 9 2021	117
30.27	3.0.4 Nov 8 2021	117
30.28	3.0.3 Nov 4 2021	117
30.29	3.0.2 Oct 27 2021	117
30.30	3.0.1 Oct 22 2021	117
30.31	3.0.0 Oct 21 2021	118
30.32	2.7.1 Jun 30 2021	118
30.33	2.7.0 Jun 23 2021	118
30.34	2.6.0 Jun 12 2021	118
30.35	2.5.0 May 27 2021	118

30.36	2.4.0	May 13 2021	119
30.37	2.3.0	Apr 10 2021	119
30.38	2.2.1	Mar 31 2021	119
30.39	2.2.0	Mar 24 2021	119
30.40	2.1.6	Feb 26 2021	119
30.41	2.1.5	Jan 7 2021	119
30.42	2.1.4	Dec 2 2020	120
30.43	2.1.3	Nov 24 2020	120
30.44	2.1.2	Nov 24 2020	120
30.45	2.1.1	Nov 22 2020	120
30.46	2.1.0	Nov 19 2020	120
30.47	2.0.27	Nov 13 2020	120
30.48	2.0.26	Nov 10 2020	120
30.49	2.0.25	Nov 9 2020	121
30.50	2.0.24	Nov 8 2020	121
30.51	2.0.23	Nov 5 2020	121
30.52	2.0.22	Nov 5 2020	121
30.53	2.0.21	Nov 1 2020	121
30.54	2.0.20	Oct 26 2020	121
30.55	2.0.19	Oct 25 2020	121
30.56	2.0.18	Oct 7 2020	122
30.57	2.0.17	Oct 5 2020	122
30.58	2.0.16	Oct 2 2020	122
30.59	2.0.15	Sep 21 2020	122
30.60	2.0.14	Sep 21 2020	122
30.61	2.0.13	Sep 21 2020	122
30.62	2.0.12	Sep 12 2020	122
30.63	2.0.11	Sep 11 2020	123
30.64	2.0.10	Sep 10 2020	123
30.65	2.0.9	Sep 10 2020	123
30.66	2.0.8	Aug 26 2020	123
30.67	2.0.7	Aug 21 2020	123
30.68	2.0.6	Aug 13 2020	123
30.69	2.0.5	Jul 18 2020	124
30.70	2.0.4	Jul 18 2020	124
30.71	2.0.3	Jul 8 2020	124
30.72	2.0.2	Jul 7 2020	124
30.73	2.0.1	Jun 24 2020	124
30.74	2.0.0	Jun 18 2020	124
30.75	1.2.17	May 8 2020	125
30.76	1.2.16	Apr 29 2020	125
30.77	1.2.15	Apr 29 2020	125
30.78	1.2.14	Apr 27 2020	125
30.79	1.2.13	Apr 25 2020	125
30.80	1.2.12	Apr 20 2020	125
30.81	1.2.11	Apr 16 2020	125
30.82	1.2.10	Apr 16 2020	125
30.83	1.2.9	Mar 16 2020	126
30.84	1.2.8	Mar 15 2020	126
30.85	1.2.7	Mar 14 2020	126
30.86	1.2.6	Feb 28 2020	126
30.87	1.2.5	Feb 25 2020	126
30.88	1.2.4	Feb 20 2020	126
30.89	1.2.3	Feb 13 2020	127

30.90 1.2.2 Feb 13 2020	127
30.91 1.2.1 Feb 13 2020	127
30.92 1.2.0 Feb 13 2020	127
30.93 1.1.1 Jan 14 2020	127
30.94 1.1.0 Jan 12 2020	127
30.95 1.0.2 Jan 7 2020	128
30.96 1.0.1 Dec 26 2019	128
30.97 1.0.0 Dec 25 2019	128
30.98 0.2.9 Nov 30 2019	128
30.99 0.2.8 Nov 30 2019	129
30.1000.2.7 Nov 14 2019	129
30.1010.2.6 Nov 5 2019	129
30.1020.2.5 Nov 4 2019	129
30.1030.2.4 Nov 3 2019	129
30.1040.2.3 Nov 3 2019	129
30.1050.2.2 Nov 1 2019	129
30.1060.2.1 Nov 1 2019	129
30.1070.2.0 Nov 1 2019	130
30.1080.1.0 - Sep 23 2019	130
31 Indices and tables	133
Python Module Index	135
Index	137

Jump to:

- [Quick start](#)
- [Aim UI](#)
- [Using Aim](#)
- [Understanding Aim](#)
- [Examples](#)
- [API reference](#)

If you have questions:

- [Open a feature request or report a bug](#)
- [Join our slack](#)

OVERVIEW

Jump to:

- [Quick start](#)
- [Aim UI](#)
- [Using Aim](#)
- [Understanding Aim](#)
- [Examples](#)
- [API reference](#)

If you have questions:

- [Open a feature request or report a bug](#)
- [Join our slack](#)

GET STARTED WITH AIM

This section shows a simple end-to-end aim setup. It starts from the installation, shows how to run Aim UI and explore the results. Use this as a starting point to get familiar with the basics of Aim while getting up and running.

2.1 Installing Aim

Aim is a python package available for Linux and MacOS for Python versions 3.6+. Install Aim using pip3:

```
pip3 install aim
```

Verify aim was properly installed

```
aim version
```

You should see the line listing newly installed version of Aim. For instance:

```
Aim v3.5.1
```

The installed package includes Python SDK needed for tracking training runs, UI for browsing the results and CLI for managing UI and results.

2.2 Nightly releases

Aim also provides daily dev packages with the features developed between main minor releases.

```
pip3 install --pre aim
```

Please note, that if the dependencies of aim are not already installed, this command will try to install the development versions of those packages as well.

Previous daily dev packages can be installed using the following command:

```
pip3 install aim==3.x.0.devyyyymmdd
```

[Release history](#)

2.3 Initializing Aim repository

Aim repository is the space where all your training runs are logged.

To initialize aim repo in the current working directory, run:

```
aim init
```

You should see something like this on your Command line:

```
Initialized a new Aim repository at /home/user/aim
```

Your workspace is now ready for tracking training runs with Aim.

2.4 Tracking data with Aim SDK

To start tracking, first create `aim.Run` object:

```
from aim import Run
run = Run()
```

Run class provides a dictionary-like interface for storing training hyperparameters and other dictionary-like metadata:

```
hparams_dict = {
    'learning_rate': 0.001,
    'batch_size': 32,
}
run['hparams'] = hparams_dict
```

These params can be used later on the UI to query runs, metrics, images. To track metrics with aim use the `Run.track` method:

```
run.track(3.0, name='loss')
```

The complete list of supported inputs is available in section “[Track media and objects](#)”

Here’s a full example demonstrating the steps above:

```
# aim_test.py
from aim import Run

run = Run()

# set training hyperparameters
run['hparams'] = {
    'learning_rate': 0.001,
    'batch_size': 32,
}

# log metric
for i in range(10):
    run.track(i, name='numbers')
```

Run the script above

```
python3 aim_test.py
```

Congrats! Your first run with Aim is ready! Now it is time to explore results with Aim UI.

2.5 Browsing results with Aim UI

Once the script above finishes you can open Aim UI and see the results:

```
aim up
```

You should see the following output meaning Aim UI is up and running:

```
Running Aim UI on repo `<Repo#-5930451821203570655 path=/.aim read_only=None>`  
Open http://127.0.0.1:43800  
Press Ctrl+C to exit
```

Open your browser and navigate to `http://127.0.0.1:43800` You should be able to see the home page of Aim UI:

Click on Metrics Explorer icon

In the Search bar select a “numbers” metric and click “Search”. You should be able to see line chart with tracked metric:

2.6 Running Aim UI inside notebooks

Run the following commands in the notebook to run the Aim UI:

1. Load Aim extension for notebooks:

```
%load_ext aim
```

1. Run `%aim up` to open Aim UI in the notebook:

```
%aim up
```

See [integration guide with Jupyter Notebook](#) for more details.

2.7 Running Aim UI and tracking server inside Docker container

Aim Docker [images](#) are available for running Aim UI and Aim Remote tracking server. Default command for Aim Docker image is `aim up`. To spin Docker container with Aim UI with port mapping:

```
docker run --publish 43800:43800 aimstack/aim
```

To run container with Aim Remote tracking server:

```
docker run --publish 53800:53800 aimstack/aim server
```


INTEGRATE AIM INTO AN EXISTING PROJECT

3.1 Any python script

```
from aim import Run

run = Run()

# Save inputs, hparams or any other `key: value` pairs
run['hparams'] = {
    'learning_rate': 0.001,
    'batch_size': 32,
}

# ...
for step in range(10):
    # Log metrics to visualize performance
    run.track(step, name='metric_name')
# ...
```

Aim easily integrates with your favourite ML frameworks.

3.2 Integration with Pytorch Ignite

It only takes 2 steps to simply and easily inject Aim into pytorch ignite:

```
# import aim sdk designed for pytorch ignite
from aim.pytorch_ignite import AimLogger
```

Pytorch Ignite provides trainer objects to simplify the training process of pytorch model. We can attach the trainer object as AimLogger's output handler to use the logger function defined by aim to simplify the process of tracking experiments. This process is divided into 2 steps:

Step 1. Create AimLogger object

```
aim_logger = AimLogger(
    experiment='aim_on_pt_ignite',
    train_metric_prefix='train_',
    val_metric_prefix='val_',
```

(continues on next page)

(continued from previous page)

```
test_metric_prefix='test_',
)
```

Step 2. Attach output handler to the `aim_logger` object

```
aim_logger.attach_output_handler(
    trainer,
    event_name=Events.ITERATION_COMPLETED,
    tag="train",
    output_transform=lambda loss: {'loss': loss}
)
```

Adapter source can be found [here](#). Example using Pytorch Ignite can be found [here](#).

3.3 Integration with Pytorch Lightning

We only require 2 steps to simply and easily inject Aim into pytorch lightning:

```
# import aim sdk designed for pl
from aim.pytorch_lightning import AimLogger
```

Pytorch lightning provides trainer objects to simplify the training process of pytorch model. One of the parameters is called logger. We can use the logger function defined by aim to simplify the process of tracking experiments. This process is divided into 2 steps:

Step 1. Create AimLogger object

```
# track experimental data by using Aim
aim_logger = AimLogger(
    experiment='aim_on_pt_lightning',
    train_metric_prefix='train_',
    val_metric_prefix='val_',
)
```

Step 2. Pass the `aim_logger` object as the logger argument

```
# track experimental data by using Aim
trainer = Trainer(gpus=1, progress_bar_refresh_rate=20, max_epochs=5, logger=aim_logger)
```

Adapter source can be found [here](#). Example using Pytorch Lightning can be found [here](#).

3.4 Integration with Hugging Face

You only need 2 simple steps to employ Aim to collect data

Step 1: Import the sdk designed by Aim for Huggingface.

```
from aim.hugging_face import AimCallback
```

Step 2: Hugging Face has a trainer api to help us simplify the training process. This api provides a callback function to return the information that the user needs. Therefore, aim has specially designed SDK to simplify the process of the user writing callback functions, we only need to initialize AimCallback object as follows:

```
# Initialize aim_callback
aim_callback = AimCallback(experiment='huggingface_experiment')
# Initialize trainer
trainer = Trainer(
    model=model,
    args=training_args,
    train_dataset=small_train_dataset,
    eval_dataset=small_eval_dataset,
    compute_metrics=compute_metrics,
    callbacks=[aim_callback]
)
```

Adapter source can be found [here](#). Example using Hugging Face can be found [here](#).

3.5 Integration with Keras & tf.Keras

It only takes 2 steps to easily integrate aim in keras to record experimental information.

```
# call keras as the high api of tensorflow
from aim.tensorflow import AimCallback
# call keras library directly
from aim.keras import AimCallback
```

In keras, we call the `fit()` method of the model object to train the data. The callbacks are provided here. `AimCallback` inherits the usage specification of callbacks. We just need to add it to the callbacks list.

```
model.fit(x_train, y_train, epochs=5, callbacks=[
    # in case of tf.keras, we use aim.tensorflow.AimCallback
    AimCallback(experiment='aim_on_keras')
])
```

Adapter source can be found [here](#). Example using Keras can be found [here](#). Example using tf.Keras can be found [here](#).

3.6 Integration with XGboost

Enjoy using aim to track xgboost experimental data which requires two simple steps:

Step 1: Explicitly import the `AimCallback` for tracking training data.

```
# call sdk aim.xgboost
from aim.xgboost import AimCallback
```

Step 2: XGboost provides the `xgboost.train` method for model training, in which the `callbacks` parameter can call back data information from the outside. Here we pass in `aimcallback` designed for tracking data information

```
xgboost.train(param, dtrain, num_round, watchlist,
               callbacks=[AimCallback(experiment='xgboost_test')])
```

During the training process, you can start another terminal in the same directory, start `aim up` and you can observe the information in real time.

Adapter source can be found [here](#). Example using XGboost can be found [here](#).

MIGRATE FROM OTHER TOOLS

The Aim explorers add true superpowers to the AI engineer's arsenal. However not all training runs may have been tracked by Aim. So it is important to be able to port existing training run logs. There might be 1000s of training runs tracked with other tools. Aim has built-in converters to easily migrate logs from other tools. These migrations cover the most common usage scenarios. In case of custom and complex scenarios you can use Aim SDK to implement your own conversion script.

As of Aim v3.6.0 the following converters are supported:

- *TensorFlow events converter*
- *MLFlow logs converter*

We are working to constantly improve existing converters and implement new ones.

4.1 Show TensorFlow events in Aim

Aim gives you a possibility to convert **TensorFlow** event files into native format and show them directly inside the Aim UI.

Before showing the events in Aim, the event files have to pass the conversion process.

Please note that only the following TF plugins are currently supported

- scalar
- image

To convert TensorFlow events, `aim convert` command must be run on your log directory.

```
aim convert tf --logdir ~/tensorflow/logdir
```

To make conversion process smooth please ensure that logs directory structure follows conventions below. Consider the following directory hierarchy:

```
~/tensorflow/logdir/
|> run_1/
|   |> <tf_events_file_1>
|   |> <tf_events_file_2>
|> group_1/
|   |> <tf_events_file_3> (THIS EVENT WILL BE IGNORED)
|   |> run_2/
|       |> train/
|           |> <tf_events_file_4>
```

(continues on next page)

(continued from previous page)

```

└─> <tf_events_file_5>
    └─> validate/
        ├──> <tf_events_file_6>
        ├──> <tf_events_file_7>
        ├──> <tf_events_file_8> (IGNORED IF "--flat" IS ACTIVE)
        └──> <tf_events_file_9> (IGNORED IF "--flat" IS ACTIVE)
└─> run_3/
    ├──> <tf_events_file_10>
    └──> <tf_events_file_11>
└─> <tf_events_file_12> (THIS EVENT WILL BE IGNORED)
└─> <tf_events_file_13> (THIS EVENT WILL BE IGNORED)

```

Note that directory naming is not mandated and its up to you how to name them.

The conversion logic categorizes your hierarchy into one of group, run and context categories where.

- group: Is a directory which has one or more run directories inside it,
- run: Is a directory which has either event files or context directory inside it,
- context: Is a directory inside of run directory which has an event file inside it.

Conversion process will scan and determine `run` directories for your hierarchy and will create a distinct run for each of them.

From the hierarchy example above you can see that the following event files will be ignored since the converter treats them as unorganized event files.

- <logdir>/group_1/tf_events_file_3
- <logdir>/tf_events_file_12
- <logdir>/tf_events_file_13

All other events will either have `Context` or `No Context`. Context of the event is the name of the parent directory if the parent directory hasn't been categorized into neither as `run` nor `group` category.

For example:

- Events right underneath `run_1`, `run_2` and `run_3` will have no context
- Events under `run_2/train` and `run_2/validate` will have `train` and `validate` as context accordingly.

In case the converter finds unorganized event files in your hierarchy a warning message will be issued.

To make the converter process these events, consider re-structuring your directories so that it matches the sample structure. (i.e. create a new directory and moving your unorganized events there)

You can make converter treat every directory as a distinct run by supplying `--flat` option. In this case the following directories will be categorized as a `run` directory.

- ~/tensorflow/logdir/run_1/
- ~/tensorflow/logdir/group_1/run_2/train/
- ~/tensorflow/logdir/group_1/run_2/validate/
- ~/tensorflow/logdir/group_1/run_3/

The event files in all other directories will be ignored.

4.2 Show MLflow logs in Aim

Aim gives you a possibility to convert [MLflow](#) runs into native format and show them directly on Aim UI.

Before showing your MLflow runs on Aim, they need to pass conversion process where your metrics, tags, parameters, run description/notes and *some* artifacts will be transferred into Aim storage.

Please note that as for now, only the artifacts having the following file extensions will be transferred into Aim storage!

- Images: ('jpg', 'bmp', 'jpeg', 'png', 'gif', 'svg')
- Texts: ('txt', 'log', 'py', 'js', 'yaml', 'yml', 'json', 'csv', 'tsv', 'md', 'rst', 'jsonnet')
- Sound/Audios: ('flac', 'mp3', 'wav')

To convert MLflow runs, `aim convert mlflow` command must be run on your log directory:

```
$ aim init
$ aim convert mlflow --tracking_uri 'file:///Users/aim_user/mlruns'
```

You can also set the `MLFLOW_TRACKING_URI` environment variable to have MLflow find a URI from there. In both cases, the URI can either be an HTTP/HTTPS URI for a remote server, a database connection string, or a local path to log data to a directory.

The conversion process will iterate over all your Experiments and create a distinct run for each run inside the experiment. If you want to process only a single experiment, you can provide the experiment id or name to the conversion command:

```
$ aim convert mlflow --tracking_uri 'file:///Users/aim_user/mlruns' --experiment 0
```

While converting the artifacts, the converter will try to determine file content type only based on its extension. A warning message will be issued if artifact cannot be categorized, these artifacts will not be transferred to aim! Please check the command output logs if you fail to see your artifact in Aim's web.

If you think there is problem with this conversion process please [open an issue](#).

Once conversion process is complete - you can enjoy the power of Aim

TRACK MEDIA AND OBJECTS

Aim supports variety of data sources. Basic logging of Run params covers Python builtin types (such as `int`, `float`, `bool`, `bytes` and `str`) as well as composition of those into dictionaries, lists, tuples at any depth.

In addition to the builtin types, Aim provides native support for [OmegaConf](#) configs, thus simplifying integration for projects running with [Hydra](#).

Starting from v3.6.0 Aim provides integration with [activeLOOP/hub](#) datasets. Hub is the open-source dataset format for AI.

Tracking of data includes metrics, images, audio, text and chart figures. Here's the complete list of Aim objects provided by the package:

- Metrics
- *Image*
- *Audio*
- *Text*
- *Figure*

5.1 Image tracking with Aim

Aim lets you track an image using `aim.Image` object

To get started, first import the `Image` object into your code.

```
from aim import Image
```

Our `Image` object uses [Pillow](#) under the hood. `Image` object supports the following inputs as data source.

- Path to an image file
- **PIL** (Pillow object)
- **torch.Tensor** (PyTorch tensor object)
- **tf.Tensor** (TensorFlow tensor object)
- **np.array** (Numpy array object)
- **matplotlib.figure.Figure** (matplotlib figure object)

Here's an example of tracking image from file path

```
path = "~/test_image.png"
aim_image = Image(path)
```

Image object also has the following arguments:

```
caption (:obj: `str`, optional): Optional image caption. '' by default.
format (:obj: `str`, optional): Parameter for PIL's .save() method. 'png' by default.
quality (:obj: `int`, optional): Parameter for PIL's .save() method. 85 by default.
optimize (:obj: `bool`, optional): Parameter for PIL's .save() method. False by default.
```

For more information on the format, quality and optimize parameters, refer to [Pillow documentation](#).

Using these parameters you can manipulate image quality and/or convert the image format from .png to jpeg or to any other format (which is supported by Pillow)

```
from aim import Run, Image

# Initialize a new run
run = Run()

for step in range(1000):
    # Log image
    path = f"~/test_image_{step}.png"
    aim_image = Image(
        path,
        format='jpeg',
        optimize=True,
        quality=50
    )

    run.track(aim_image, name='images', step=step)
```

5.2 Audio tracking with Aim

Aim lets you track an audio data using aim.Audio object

To get started, first import the Audio object into your code.

```
from aim import Audio
```

You can use Audio object to track MP3, WAV and FLAC audio data. Audio object supports the following data as input.

- File path
- Raw bytes
- io.BytesIO stream
- Numpy array (only for WAV audio format)

This object comes with the following optional arguments.

```
format (:obj: `str`): Format of the audio source. Choices are ('flac', 'mp3', 'wav')
rate (:obj: `int`): Only for WAV. Rate of the audio file, defaults to 22500
caption (:obj: `str`): Optional audio caption. An empty string by default.
```

Complete example of tracking WAV audio data.

```
import os.path
from aim import Run, Audio

# Initialize a new run
run = Run()

for step in range(1000):
    # Log image
    path = f"~/test_audio_{step}.mp3"
    aim_audio = Audio(
        path,
        format='mp3',
        caption=os.path.basename(path)
    )

    run.track(aim_audio, name='audios', step=step)
```

5.3 Text tracking with Aim

Aim lets you track text/string during your training process.

To get started, first import the Text object into your code.

```
from aim import Text
```

In order to use the Text object, you just need to ensure that your input data type is a string.

Here's an example of Text usage:

```
import random
import string
from aim import Run, Text

# Initialize a new run
run = Run()

for step in range(100):
    # Generate a random string for this example
    random_str = ''.join(random.choices(
        string.ascii_uppercase +
        string.digits, k=20)
    )
    aim_text = Text(random_str)
    run.track(aim_text, step=step)
```

5.4 Figure tracking with Aim

Aim provides a Figure object which can be used to track `plotly` and `matplotlib` figures.

To get started, first import the Figure object into your code.

```
from aim import Figure
```

You should pass either `Plotly Figure` or `matplotlib Figure` as input source to Aim's Figure object.

Here's an example of tracking a plotly figure

```
import plotly.express as px
from aim import Run, Figure

# Initialize a new run
run = Run()

# First we create Plotly figure
fig = px.bar(x=["a", "b", "c"], y=[1, 3, 2])

# Now we convert it to Aim Figure
aim_figure = Figure(fig)

run.track(aim_figure, name="plotly_figures", step=0)
```

It is also easy to track `matplotlib` figure. Please note that the conversion process is done by Plotly under the hood.

```
from aim import Run, Figure
import matplotlib.pyplot as plt

# Initialize a new run
run = Run()

# define matplotlib figure
fig = plt.figure()
plt.plot([1, 2, 3])
plt.close(fig)

# Now we convert it to Aim Figure using (Plotly's functions)
aim_figure = Figure(fig)

run.track(aim_figure, name="matplotlib_figures", step=0)
```

5.5 Tracking matplotlib figures with Aim

In order to track `matplotlib` figures with Aim, either pass the `matplotlib` figure to Aim's Image or Figure object.

5.5.1 Converting matplotlib to Aim Image

```
from aim import Run, Image
import matplotlib.pyplot as plt

run = Run()

# define matplotlib figure
fig = plt.figure()
plt.plot([1, 2, 3])
plt.close(fig)

# pass it to aim Image
aim_img = Image(fig)
run.track(aim_img, step=0, name="matplotlib_images")
```

5.5.2 Converting matplotlib to Aim Figure

Please note that the conversion process is done by [Plotly](#) under the hood.

```
from aim import Run, Figure
import matplotlib.pyplot as plt

run = Run()

# define matplotlib figure
fig = plt.figure()
plt.plot([1, 2, 3])
plt.close(fig)

aim_figure = Figure(fig)
run.track(aim_figure, step=0, name="matplotlib_figures")
```

5.6 Logging activeloop/hub dataset info with Aim

Aim provides wrapper object for `hub.dataset`. It allows to store the dataset info as a Run parameter and retrieve it later just as any other Run param. Here is an example of using Aim to log dataset info:

```
import hub

from aim.sdk.objects.plugins.hub_dataset import HubDataset
from aim.sdk import Run

# create dataset object
ds = hub.dataset('hub://activeloop/cifar100-test')

# log dataset metadata
run = Run(system_tracking_interval=None)
run['hub_ds'] = HubDataset(ds)
```


NEXT STEPS

In the Quick Start section you learned the basics of Aim functionality and how to use the Aim SDK.

In the following sections we will cover different aspects of Aim in more detail. Aim is designed and built to explore and make sense of large volumes of training run logs.

If you are interested in exploring more about Aim, please navigate to [Using Aim](#) section.

You can browse real-life Aim use-cases in [Examples](#) section.

If you want to learn more about how Aim works under the hood and get familiar with Aim terminology, navigate to [Understanding Aim](#) section.

Detailed API descriptions as well as CLI commands available at [References](#).

OVERVIEW

Aim UI is one of the key two interfaces to interact with the ML training runs tracked by Aim. It's super-powerful for comparing large number of experiments.

The Aim UI is mainly built around the Explorers that allow to query and compare metrics, images and params, scatterplots etc.

Explorers are built around the way to query runs and compare them. Each explorer has a way to navigate to a single run where all the run-related information is visualized and can be used to do deep-dive into runs.

Besides these, Aim UI also allows to tag the runs, delete/archive them and save Explorers state to share with the team.

7.1 Pythonic Search

Once you track your experiments with Aim, they are available to be searched. There are three objects that could be searched:

- Runs
- Metrics
- Images

This basically means that you can write a python if-statement over everything you have tracked with a few options of the output.

Explorers encompass these outputs and give you unique super-powers to manipulate and compare the results of the search.

7.2 Explorers

Explorers are powerful tools to query ML training runs, select specific type of data tracked (metrics, params etc), apply modifications to them and compare them.

The runs are compared by grouping and dividing them via the tracked hyperparams. **Every** param (even the system params) are available on Aim - to be used for runs comparison on all Explorers.

7.3 Runs Management

Runs Management includes the Runs Explorer. You can search through runs on the Runs Explorer and have the holistic view of your runs, their diff, the last values of the metrics, all the params etc.

This also contains the Single Run Page that will help you observe everything you have tracked for your run - all in one place. This includes params, metrics, images, distributions etc.

7.4 Other Aim UI features

Besides this, you can also save the Explorer states for reproducible experiment analysis. Aim also enables ways to tag the runs.

HOME PAGE

Aim Home Page is a high level overview of your training activities and how to find your way around the Aim UI.

There are four main sections:

- *Statistics and Activity*
 - *Integrate Aim with your code*
 - *Explore Aim*
 - *Get Involved*
-

8.1 Statistics and activity

Use the Statistics and activity to observe general info about your experiments and runs.

The heatmap shows the intensity of experiments you have made for the day - the darker the color the more experiments.

Each cell represents the set of training runs for that day.

The cells are clickable!

Once clicked, you will navigate to the [Runs explorer](#) page and automatically [query](#) the runs made on that day.

8.2 Integrate Aim with your code

A quick guide on how to get started with Aim.

Also links to the [docs](#), [a colab example](#) and [a live Aim demo](#).

8.3 Get Involved

The Aim community is growing rapidly. Join the [Aim slack](#).

Ask questions! You'll be most welcome!

8.4 Explore Aim

Aim is a collection of super-effective ML experiment [Explorers](#). Use this section to navigate through them.

RUNS MANAGEMENT

9.1 Runs Explorer

9.1.1 Overview

To navigate into Runs Explorer, click on the Runs navigation item from the left sidebar.

Runs explorer helps you to

- *Search runs with pythonic query*
- *Observe runs in real time*
- *Delete or archive runs*
- *Export Runs report*

Search Runs

Use Search bar to query runs with [Aim QL](#).

Follow runs in real time

Switch **Live Update** to turn on the real time mode.

Delete or archive runs

Step 1: Select runs on the runs table:

Click on the **Archive** button. Confirmation popup appears. Click **Archive** again and the runs are archived!

In order to batch delete the selected runs, just use the **Delete** button. In this case as well, press **Delete** again on the confirmation popup and the runs will be hard deleted. ***Warning:** this operation is irreversible and the runs are deleted from the disk.

Export Runs report

Generate Runs CSV report by clicking on the **Export** button on the Runs table.

9.2 Single run page

9.2.1 Overview

Each training run has a dedicated page on Aim. Use the single run page to observe all the tracked metadata associated with that run.

Here are the tabs available on the single run page. Each tab visualizes respective tracked metadata or empty if not tracked.

- *Params*
- *Metrics*
- *System*
- *Distributions*
- *Images*
- *Audios*
- *Texts*
- *Figures*
- *Settings*

9.2.2 Params

Params tab contains a JSON-like visualization of all of the tracked params data related to a single run of interest.

9.2.3 Metrics

Metrics tab contains the visualizations of all the metrics tracked for the given run.

Note: you can track arbitrary number of runs with lots of steps with Aim!

9.2.4 System

Aim automatically tracks system metrics so you can use them in order to detect potential resource mismanagements or anomalies.

System tab contains all of the tracked system metrics for a single run.

9.2.5 Distributions

You can track the gradient, the weights and the biases distributions of all the layers for lots of steps with Aim.

The Distributions tab will allow you to observe them for a single run. You can also

- navigate between the layers
- search for distribution on specific steps

The single run distributions tab is quite powerful!

9.2.6 Images

The Images tab contains all the tracked images of a single run. You can track runs with different contexts and at different steps of training.

On the left-hand side are the names of different image-sets you have tracked along with their `context` unpacked.

Usually the images are tracked at diff steps and with batches. This control will allow you to quickly slice and dice the specific subset of images to view. Use these sliders to search

- which subset of steps you'd like to see (on the left-hand side)
- which indices you'd like to see (on the right-hand side)

9.2.7 Audios

You can track audios with Aim. Use the Audios tab to view and play the tracked audios of a single run.

9.2.8 Texts

Use the **Texts** tab to view and search all the texts tracked for a single run.

On the left-hand side you will see the name and context of the tracked texts. You can use the search-bar on top to search the text with regexp or just match word or case.

Use the bottom controllers to control the steps and the indices of the tracked texts too.

9.2.9 Figures

Aim allows to track Plotly and matplotlib figures. On the **Figures** tab you can view all the track figures over different contexts and steps.

9.2.10 Settings

Use the **Settings** tab to delete or archive the single run

Delete Run

Archive Run

EXPLORERS

Explorers will help you to compare 1000s of AI experiments with a few clicks. Explorers are the main tools that Aim is built around.

In this section we will go through the Aim explorers, introduce their features and how to use them.

10.1 Metrics Explorer

10.1.1 Overview

Use Metrics explorer to search and compare 1000s of ML training metrics.

The Metrics Explorer allows you to search, group and compare your metrics. Due to this and number of other visual features on the Metrics Explorer, you will save considerable amounts of time when comparing experiments- compared to other open-source experiment tracking tools.

The Metric Explorer has the following main sections:

- **Metrics Select:** to select the metrics for exploration
- **Search bar:** to query the runs for exploration
- **Charts explorer:** the space where the metrics are rendered
- **Metrics modifiers:** all the grouping, chart division and other metrics modifier tools
- **Context table:** the full information about the selected metrics is available

There is also an advanced mode of search is available too where you can use the full Aim QL (more on this further in this section).

There are two ways you can query metrics and runs

- *Select metrics and query runs*
- *Advanced Search mode*

An overview of what you can do with queried metrics - the modifiers:

- *Group by tracked parameters*
- *Aggregate grouped metrics*
- *Align metrics by time, epoch or custom metric*
- *Change scale of the axes (linear or log)*
- *Apply smoothing*
- *Ignore outliers*

- *Metric highlight modes (metric on hover, run on hover)*
- *Set chart tooltip parameters*
- *Apply zoom in/out on charts*
- *Export chart as image*

10.1.2 Select metrics and query runs

On the Metrics Explorer, there is + **Metrics** button. Once pressed, a dropdown will appear with all your tracked metrics and their contexts flattened. The dropdown is searchable - so you can get to your metric of interest within a stroke!

The Search bar is located below the + **Metric** button. It allows to do a pythonic query (that is eval-ed as python statement) over every param you have tracked.

Search runs with [Aim QL](#)

10.1.3 Advanced Search mode

Once you press the **Enable advanced search mode** button underneath the main **Search** button, it will enable the full Aim QL search editor - to query the metrics, the runs via full Aim QL

Here is an example:

```
((metric.name == 'bleu' and metric.context.subset == 'val') or (metric.name == 'loss' and metric.context.subset == 'train')) and 1e-5 < run.hparams.learning_rate < 1e-2
```

10.1.4 Group by any parameter

Grouping selected metrics by any tracked params will allow you to quickly distinguish the most impactful params, decisions you have made (the preprocessing steps, the hyperparams etc).

The parameters include not only the ones you have tracked but also the native Aim objects too such as

- `metric.name`
- `metric.context.[context_key]`
- `run.hash`

There are several ways you can group the selected metrics and runs - by color, by stroke and by chart.

Group by Color

Use this to divide the selected metrics into different clusters based on selected values of params. Each cluster gets colored differently.

There are a number of options available when grouping

- **group by values** - divides into clusters as per the values of selected params)
- **reverse grouping** - divides into clusters by every param except for the chosen one.

The grouping colors are picked randomly, however it is possible to fix with the advanced coloring features.

Here are the features in the advanced mode:

- Fix the colors of the grouping
- Control the color palette to use during the grouping

Group by Stroke

Groups the metrics by a stroke style. Has all the rest of the other features available on the color grouping except the advanced mode.

Group by Chart

The end result of using this feature: divides into subplots based on the value of the selected params. Why this is a grouping mechanism? It groups the metrics belonging to the same group into separate charts.

10.1.5 Aggregate metrics

The metrics aggregation helps to quickly see the trends of each individual group of metrics. See more about [metrics grouping](#).

There are two aspects of aggregation you can control:

- the trend-line
- the area that the group of metrics take

The trend-line calculation methods:

- Mean
- Median
- Min
- Max

The area calculation methods:

- None (*when you'd like to remove the area*)
- Min/Max
- Mean +/- Standard Deviation

- Mean +/- Standard Error
- Confidence Interval (95%)

Pls see the screenshot:

10.1.6 X-Axis properties

X-Axis properties section is for controlling density of metrics x-axis values and aligning metrics by time, epoch or another metric.

Density:

Following types of metrics density are available: *Minimum*, *Medium*, *Maximum*. By default, metrics density is the *Maximum*.

Minimum

By setting metrics density to Minimum, will query metrics by 50 point.

Medium

By setting metrics density to Medium, will query metrics by 250 point.

Maximum

By setting metrics density to Maximum, will query metrics by 500 point.

Alignment:

Following types of metrics alignment are available: *Step*, *Epoch*, *Relative Time*, *Absolute Time* and *Custom Metric*. By default, metrics aligned by *Step*.

Step

By setting metrics alignment to Step, x-axis values will represent the steps of tracked metrics.

Epoch

By setting metrics alignment to Epoch, x-axis values will represent the epochs of tracked metrics.

Relative Time

By setting metrics alignment to Relative Time, x-axis values will represent by HH:mm:ss, duration of tracking process.

Absolute Time

By setting metrics alignment to Absolute Time, x-axis values will represent by date HH:mm:ss D MMM, YY, since the start date of the first run until the last run.

Custom Metric

By setting metrics alignment to Custom Metric, x-axis values will represent selected metric values, you can detect correlations between queried metrics and selected metric.

10.1.7 Axes Scale

Axes Scale section gives ability to display axes scale's [linear](#) or [logarithmic](#).

By default, axes scale's are [Linear](#).

Linear Scale

X-axis scale: Linear, Y-axis scale: Log

X-axis scale: Log, Y-axis scale: Linear

Log Scale

10.1.8 Chart Smoothing

While smoothing the chart, the data points are modified so individual points higher than the adjacent points (presumably because of noise) are reduced, and points that are lower than the adjacent points are increased leading to a smoother signal. You can select curve interpolation methods: Linear or Cubic. By default, chart smoothing in *Exponential moving average* mode and curve interpolation method is Linear.

Exponential moving average

An **exponential moving average**, also known as an exponentially weighted moving average (EWMA), is a first-order infinite impulse response filter that applies weighting factors which decrease exponentially.

Centered moving average

When you center the moving averages, the data points are placed at the center of the range rather than the end of it. This is done to position the moving average values at their central positions in time.

10.1.9 Ignore outliers

An outlier is an observation that lies an abnormal distance from other values in a random sample from a population. Examination of the data for unusual observations that are far removed from the mass of data. These points are often referred to as outliers.

Excluding outliers can cause your results to become statistically significant. By default, outliers are ignored.

10.1.10 Highlight Modes

Highlighting functionality is useful for filtering metrics and highlight only hovered metric. Following types of highlighting mode are available: *Highlight Off*, *Highlight Metric on Hover*, and *Highlight Run on Hover*. By default, highlighting mode is the *Highlight Run on Hover*.

Highlight Off

By setting Highlight mode Off, there is no highlighting functionality on hover.

Highlight Metric on Hover

By setting Highlight mode Metric on Hover, mouse point closest metric highlights and other metrics displays with opacity.

Highlight Run on Hover

By setting Highlight mode Run on Hover, mouse point closest metric highlights and highlighted metric corresponding run also highlights other metrics displays with opacity.

10.1.11 Set tooltip parameters

You can select tooltip parameters to show params and values in tooltip Params section. You can select hide or show button to display or hide tooltip on hover.

10.1.12 Apply zoom on charts

Zoom In

Zoom Out

10.1.13 Export chart as image

Metric explorer also, gives ability to export your chart as image. By clicking `export` button from control panel, will be opened chart preview modal. You can change exportable chart image width, single chart height, set image name and format.

Following formats of chart export are available: SVG, JPEG, PNG.

10.2 Images Explorer

10.2.1 Overview

Track intermediate images search easily by using select form functional compare them on the Images Explorer by using reach controls panel.

Features:

- *Easily query any image*
- *Group images by run parameters, step and index*
- *Use controls from right control panel to configure workspace*
 - *Image properties control*
 - *Images sorting control*
 - *Images group stacking control*
 - *Images tooltip params control*

10.2.2 Query any image

Use select form to easily query any image. There are two option to query images using dropdown, by using [Aim QL](#) language and advance mode for [Aim QL](#).

- Click on Images button
 - Select options you are want to use in query
 - Click on the Search button
-
- Click on pencil icon in the right side of select form to show input
 - Type advance [Aim QL](#) query
 - Click on the Search button

10.2.3 Group image by run parameters

Use select grouping dropdown which is located in the right top corner of the image explore page.

- Click on grouping button
- Select fields by which you want to groupe images

Grouping will be apply after each field selection also you can select grouping mode (Group or Reverse)

10.2.4 Image explorer right controls panel

Any change in controls will help to explore images better on the workspace

10.2.5 Images size manipulation control

- Click on image property button
- Select value from dropdown to align image. (by default dropdown value is **Height**). Use slider to configure value for scale relative to window size by default scale value is 15%.
 - By height
 - By width
 - Original size
- Use image rendering variation by default value of this control is **Pixelated**

10.2.6 Images sorting control

- Click on image sorting button
- Select fields for sorting images. Selection ordering is meaningful and data will be sorting by selection order. Bellow is visible Ordered By list where contains all selected fields from dropdown. You can remove any already selected field by clicking on x icon or change sorting direction by clicking radio button Asc or Desc. Default selected direction is Asc.
- For reset all existing sorting fields you can simply click on Reset Sorting button

10.2.7 Set tooltip parameters

You can select tooltip parameters to show params and values in tooltip Params section. You can select hide or show button to display or hide tooltip on hover.

10.3 Params Explorer

10.3.1 Overview

Params explorer helps you to represent high dimensional data as a multi-dimensional visualization. Features:

- *Easily query any metrics and params*
- *Group runs by color, stroke, or chart*

- *Make the crossings easier with curve interpolation*
- *Learn patterns and colorations easier colored by the last dimension with a color indicator*

Query any metrics and params

Select params and metrics from dropdown

Search runs with [Aim QL](#)

Grouping

Group by color, stroke, or chart with selected parameters

Curve interpolation

By clicking on the Curve interpolation button in the Controls panel, it's possible to make lines from straight to curve to show correlations between non-adjacent axes.

Color indicator

By clicking on the Color indicator button in the Controls panel, it's possible to turn on lines gradient coloring by the last dimension.

10.4 Scatters Explorer

Scatter explorer gives ability to visualize correlations between metric last value data with hyper-parameter.

It represents graph where corresponding values from a set of data are placed as points on a coordinate plane. A relationship between the points is sometimes shown to be positive, negative, strong, or weak.

Abilities provided by Scatter explorer

- *Easily align metric last value data with hyper parameter*
- *Group runs by color and chart*
- *Represent the points with trend line*
- *Export chart*

Select params and metrics from X and Y axes dropdowns to align metric last value data with hyper-parameter.

- X axis

- Y axis

Also, you can search runs with [Aim QL](#)

Easily group data by color and chart with selected parameters.

- By Color
- By Chart

A trend line is a straight line that best represents the points on a `scatter plot`. The trend line may go through some points but need not go through them all.

From trend line options popover you can change regression from `Linear` (by default) to `LOESS`(locally weighted smoothing), which creates a smooth line through a `scatter plot` to help you to see relationship between variables and foresee trends. Also, you can change the `bandwidth` with `slider`

Scatter explorer also, gives ability to `export` your chart as `image`.

By clicking `export` button from control panel, will be opened chart preview modal. You can change exportable chart `image width`, `single chart height`, set `image name` and `format`.

Following image formats are available export: `SVG`, `JPEG`, `PNG`.

BOOKMARKS

11.1 Overview

Use the Bookmarks to save the Aim Explorer state. This includes search query, aggregations and any other modifications applied to the explorer. The Bookmarks page is a list of *cards* to quickly access the explorer state with one click.

There are bookmark buttons available on all Explorer pages - on the top right . In order to create a bookmark, just press the bookmark button on your preferred Explorer page.

This will open a `create bookmark` form with fields for `title` and `description`.

The created bookmark will contain all the current configuration of the explorer.

11.2 The Bookmark Card

Each of the bookmark cards contains the following:

- Explorer Icon
- Title
- View Bookmark button
- Delete Bookmark button
- Search query
- Selected metrics and params

11.3 Delete Bookmark

Clicking the delete bookmark button will open a modal, where you can confirm or cancel the deletion.

TAGS PAGE

12.1 Overview

Tags functionality intended to mark a runs. A tag can be attached to the runs to distribute by segments and then find it quickly.

12.2 Create tag

How to create tag? There are two options for creating a tag.

12.2.1 First option

- Go to the tags page by clicking on the Tags from the left sidebar.
- Click on the create tag button to open the create tag form modal. In this modal there is the form that has two input fields first one for tag name the second one for tag comment and also there are exist color pallets for selecting tag color.
- Type name for a tag. Name filed is mandatory and can't be empty for tag creation form and has maximum 50 symbol limit validation.
- Type comment for a tag. Comment field is optional for tag creation form and has max 200 symbol limit validation.
- Select color for a tag from the color pallet.
- Click to the create button for saving a the tag then. After successful saving should appear toaster approving the create on the right top corner of the window. Optional there are default selected colors for tag.

12.2.2 Second option

- Go to any explorer page (metrics, params, images, scatters).
- Click to one of the sequence unit to open popover where is exist tag section with attach button.
- Click on attach button to open the select tag popover where you will see all your previously created tags.
- Click create tag button and you will be redirected to the tags page than the actual first option.

12.3 Attach tag

- Go to any explorer page (metrics, params, images, scatters).
- Click to one of the sequence unit to open popover where is exist tag section with attach button.
- Click on attach button to open the select tag popover where will be visible all tags.
- Select a tag you want to attach to the sequence unit. You can select more then on tag for each point.

12.4 Update attached tags

How to update attached tags?

- Go to any explorer page (metrics, params, images, scatters).
- Select point which you want to attach tag and click on it to open popover where is the exist tag section. In tags section will be visible already attached tags.
- Click on attach button for adding new tag to open the select tag popover where will be visible all existing tags.
- Click on x icon in the right end of the each tag for removing the tag from the point.

12.5 Edit tag

- Go to the tags page
- Click to edit icon in the right side in the tag row
- Then should appear the edit modal. In the edit modal there is the form that has two input fields first one for tag name the second one for tag comment and also there are exist color pallets for selecting tag color. In this modal is possible to make changes for tag.
- Make changes you need.

- Then you have three possible actions close modal, save changes and reset changes. After closing the modal you will lose all changes, after clicking the reset button modal form fields will be reset to initial values and by clicking the save button you will save all changes for the tag. After successful saving should appear toaster approving the update on the right top corner of the window.

12.6 Delete tag

- Go to the tags page.
- Click on the trash icon in the right side in the tag row to open the delete modal.
- In the delete modal there is a tag name input field and a tag name label at the top of the tag name input. You need to type the tag name for approving you are want to delete that tag.
- Then you have two possible actions delete the tag or close the modal by canceling the delete operation. If you want to delete a tag please double-check the tag name and click to delete button. After tag deletion, there are no possibilities to recover it. Also if you are deleting the tag it will be removed from all relations too.

12.7 Used in overlay

In the tags page you can select tag by clicking on circle icon then will opened overlay in the right side of window. Here is visible that runs which are use the tag. By clicking a run hash you will be redirected to single run page.

MANAGE RUNS

13.1 Create runs

Run is the main object that tracks and stores ML training metadata(e.g. metrics or hyperparams).

When initializing a Run object, Aim creates a `.aim` repository at the specified path. The tracked data is stored in the `.aim` repo. If the repo path is not specified, the run data is stored in the current working directory.

Use the following Run arguments to:

- `repo`: define where to store the data
- `experiment`: define experiment name to group related runs together
- `system_tracking_interval`: Enable system resource usage tracking (CPU, GPU, memory, etc..). By default enabled. Set to `None` to disable

```
from aim import Run

my_run = Run(
    repo='/repo/path/to/store/runs',
    experiment='experiment_name'
)
```

Run class full [spec](#).

Additionally, Aim SDK also gives a flexibility to:

- Use multiple Runs in one training script to store multiple runs at once. Usually handy when doing hyperparameter search.
- Use integrations to automate tracking

13.2 Continue runs

Each Run object has a `hash` associated with it which could be looked up at `aim runs ls` (check out the [Aim CLI](#) here). Specify the run hash when initializing a Run object to continue tracking.

```
from aim import Run

run = Run(run_hash='run_hash')
```

13.3 Delete runs

There are cases when Run data is not needed. Examples of such cases are, failed training runs or simple disk space cleanup. Aim provides SDK and CLI interfaces to delete Runs.

To remove Runs via the SDK:

```
from aim import Repo

repo = Repo.from_path('aim_repo_path')
repo.delete_run('run_hash')
repo.delete_runs(['run_hash_1', 'run_hash_2'])
```

Repo class full [spec](#).

To remove Runs using command line:

```
aim runs rm run_hash_1 run_hash_2 run_hash_3
```

More details on `aim runs` in CLI [reference](#).

CONFIGURE RUNS

14.1 Training Run Reproducibility

When running multiple training jobs it is crucial to understand the factors affecting the trained models performance. While the hyperparameters diff is an obvious place to look at, the training script environment itself can change the collected metadata in unexpected ways. It is important to be able to reproduce your runs' environment to presumably get the same results. Sometimes even minor version change in your script dependencies or a small tweak in the training code itself can affect training results. Thus, it's important to collect and log information such as package versions, environment variables, input arguments, etc. with each run.

Doing this manually requires a lot of code to be added to your training script. This is where Aim's logging of system parameters can come in handy!

14.2 What data is logged automatically?

Aim lets you enable system params logging for your Run which in result will log the following parameters

- Environment Variables
- Executables
- CLI arguments
- Installed packages and their versions
- Git information such as current branch, commit hash, author, etc. (if applicable)

14.3 How to enable system params automatic logging?

To enable logging of the parameters listed above, your Run instance must be supplied with `log_system_params=True` option, by default it is disabled!

```
run = Run(log_system_params=True)
```

In addition, these logged parameters can be used in the search box to filter runs based on the supplied parameters. Everything is searchable at Aim!

Here is an example of what you can do with it:

```
run.__system_params.git_info.branch == 'feature/testing'
```


QUERY RUNS AND OBJECTS

Use Repo object to query and access saved Runs.

Initialize a Repo instance:

```
from aim import Repo

my_repo = Repo('/path/to/aim/repo')
```

Repo class full spec.

Query logged metrics and parameters:

```
query = "metric.name == 'loss'" # Example query

# Get collection of metrics
for run_metrics_collection in my_repo.query_metrics(query).iter_runs():
    for metric in run_metrics_collection:
        # Get run params
        params = metric.run[...]
        # Get metric values
        steps, metric_values = metric.values.sparse_numpy()
```

Besides querying Runs and metrics, you can also query logged Image objects:

```
query = "images.name == 'mnist_dataset' and images.context.subset == 'val'"

# Get collection of Image sequences
for image_seq in my_repo.query_images(query).iter():
    # Get first tracked batch of each sequence
    image_batch = image_seq.values.first_value()
    # Get Image metadata
    image_meta = map(Image.json, image_batch)
    # Convert to PILImage
    pil_images = map(Image.to_pil_image, image_batch)
```

Image class full spec.

See more advanced usage examples [here](#).

QUERY LANGUAGE BASICS

16.1 Introduction

Aim enables a powerful query language(Aim QL) to filter through all the stored metadata.

AimQL filters the tracked metadata using **python expression**. Think of it as a python if statement over everything you have tracked. Hence, nearly any python compatible expression is available with *some restrictions* in place.

The data is saved as different types of entities (e.g. `run`, `metric`). The search queries are written against these entities. When iterating over entities the python expression is evaluated in a Boolean context. When the value is “truthy”, then the current entity is yielded. Otherwise the entity is skipped over.

Currently, AimQL is only used for filtering data, and has no role in sorting or aggregating the data.

16.2 Searching

Let’s track several Runs via Aim SDK:

```
# Initialize run_1
# Define its params and track loss metric within test and train contexts
run_1 = Run()
run_1['learning_rate'] = 0.001
run_1['batch_size'] = 32
for i in range(10):
    run_1.track(i, name='loss', context={ 'subset':'train' })
    run_1.track(i, name='loss', context={ 'subset':'test' })

# Initialize run_2
run_2 = Run()
run_2['learning_rate'] = 0.0007
run_2['batch_size'] = 64
for i in range(10):
    run_2.track(i, name='loss', context={ 'subset':'train' })
    run_2.track(i, name='loss', context={ 'subset':'test' })

# Initialize run_3
run_3 = Run()
run_3['learning_rate'] = 0.005
run_3['batch_size'] = 16
for i in range(10):
```

(continues on next page)

(continued from previous page)

```
run_2.track(i, name='loss', context={ 'subset':'train' })
run_2.track(i, name='loss', context={ 'subset':'test' })
```

Aim SDK will collect and store the above metadata in .aim repo.

Run	Parameters	Metrics
run_1 <hash=a32c910>		
run_2 <hash=a32c911>		
run_3 <hash=a32c912>		

When searching runs, use the run keyword which represents the Run object. It has the following properties:

Property	Description
name	Run name
hash	Run hash
experiment	Experiment name
tags	List of run tags
archived	True if run is archived, otherwise False
creation_time	Run creation timestamp
end_time	Run end timestamp

Run parameters could be accessed both via chained properties and attributes.

The two following examples are equal:

- `run.hparams.learning_rate == 32`
- `run["hparams", "learning_rate"] == 32`

AimQL has been designed to be highly performant. Only the params that are used in the query will be loaded into memory.

If you use the `['hparams']['learning_rate']` syntax Aim will load the whole dictionary into memory. The search performance will be impacted.

We recommend to use either `['hparams', 'learning_rate']` or `hparams.learning_rate` syntax which are equivalent to each other in terms of the performance.

Query examples:

1. Get runs where `learning_rate` is greater than `0.0001` and `batch_size` is greater than `32`.

```
run.learning_rate > 0.0001 and run.batch_size > 32
```

Result:

Run	Parameters
run_2 <hash=a32c911>	

1. Get runs where `learning_rate` is either `0.0001` or `0.005`.

```
run.learning_rate in [0.0001, 0.005]
```

Result:

Run	Parameters
run_1 <hash=a32c910>	
run_3 <hash=a32c912>	

16.3 Searching metrics and images

16.3.1 Searching metrics

When iterating over metrics, use the `metric` keyword which represents the tracked metric. While searching metrics, you can also refer to the related runs via the `run` keyword.

`metric` has the following default properties.

Property	Description
<code>name</code>	Metric name
<code>context</code>	Metric context dictionary

Query examples

1. Query metrics by name:

```
metric.name == "loss"
```

Result:

Metric	Related run
loss { "subset": "train" }	run_1 <hash=a32c910>
loss { "subset": "test" }	run_1 <hash=a32c910>
loss { "subset": "train" }	run_2 <hash=a32c911>
loss { "subset": "test" }	run_2 <hash=a32c911>
loss { "subset": "train" }	run_3 <hash=a32c912>
loss { "subset": "test" }	run_3 <hash=a32c912>

1. Query metrics by name and context

```
metric.name == "loss" and metric.context.subset == "train"
```

Result:

Metric	Related run
loss { "subset": "train" }	run_1 <hash=a32c910>
loss { "subset": "train" }	run_2 <hash=a32c911>
loss { "subset": "train" }	run_3 <hash=a32c912>

1. Query metrics by name and run parameters

```
metric.name == "loss" and run.learning_rate >= 0.001
```

Result:

Metric	Related run
loss { "subset": "train" }	run_1 <hash=a32c910>
loss { "subset": "test" }	run_1 <hash=a32c910>
loss { "subset": "train" }	run_3 <hash=a32c912>
loss { "subset": "test" }	run_3 <hash=a32c912>

16.3.2 Searching images

Images search works in the same way as metrics. When iterating over images, use the `images` keyword which represents the tracked images sequence. While searching images, you can also refer to the related runs via the `run` keyword.

`images` keyword has the following default properties.

Property	Description
<code>name</code>	Image sequence name
<code>context</code>	Image sequence context dictionary

Query examples:

- `images.name == "generated" and run.learning_rate >= 0.001`
- `images.name == "generated" and images.context.ema == 0`

16.4 Security restrictions

AimQL expression is evaluated with `RestrictedPython`.

RestrictedPython is a tool that helps to define a subset of the Python language which allows to provide a program input into a trusted environment.

We have followed these [restrictions](#) to avoid security risks such as executing a non-safe function via AimQL.

TRACK EXPERIMENTS WITH AIM REMOTE SERVER (EXPERIMENTAL FEATURE)

17.1 Overview

Aim remote tracking server allows running experiments in a multi-host environment and collect tracked data in a centralized location. It provides SDK for client-server communications and utilized `gRPC` protocol as its core transport layer.

In this guide we will show you how to setup Aim remote tracking server and how to integrate it in client-side code.

17.2 Prerequisites

Remote tracking server assumes multi-host environments used to run multiple training experiments. The machine running the server have to accept incoming TCP traffic on a dedicated port (default is 53800).

17.3 Server-side setup

1. Make sure aim 3.4.0 or upper installed:

```
$ pip install "aim>=3.4.0"
```

2. Initialize aim repository (optional):

```
$ aim init
```

1. Run aim server with dedicated aim repository:

```
$ aim server --repo <REPO_PATH>
```

You will see the following output:

```
> Server is mounted on 0.0.0.0:53800  
> Press Ctrl+C to exit
```

The server is up and ready to accept tracked data.

1. Run aim UI

```
$ aim up --repo <REPO_PATH>
```

17.4 Client-side setup

With the current architecture there is almost no change in aim SDK usage. The only difference from tracking locally is that you have to provide the remote tracking URL instead of local aim repo path. The following code shows how to create Run with remote tracking URL and how to use it.

```
from aim import Run

aim_run = Run(repo='aim://172.3.66.145:53800') # replace example IP with your tracking_
↪server IP/hostname

# Log run parameters
aim_run['params'] = {
    'learning_rate': 0.001,
    'batch_size': 32,
}
...
```

You are now ready to use aim_run object to track your experiment results. Below is the full example using pytorch + aim remote tracking on MNIST dataset.

```
from aim import Run

import torch
import torch.nn as nn
import torchvision
import torchvision.transforms as transforms

# Initialize a new Run with remote tracking URL
aim_run = Run(repo='aim://172.3.66.145:53800') # replace example IP with your tracking_
↪server IP/hostname

# Device configuration
device = torch.device('cpu')

# Hyper parameters
num_epochs = 5
num_classes = 10
batch_size = 16
learning_rate = 0.01

# aim - Track hyper parameters
aim_run['hparams'] = {
    'num_epochs': num_epochs,
    'num_classes': num_classes,
    'batch_size': batch_size,
    'learning_rate': learning_rate,
}
```

(continues on next page)

(continued from previous page)

```

# MNIST dataset
train_dataset = torchvision.datasets.MNIST(root='./data/',
                                           train=True,
                                           transform=transforms.ToTensor(),
                                           download=True)

test_dataset = torchvision.datasets.MNIST(root='./data/',
                                           train=False,
                                           transform=transforms.ToTensor())

# Data loader
train_loader = torch.utils.data.DataLoader(dataset=train_dataset,
                                           batch_size=batch_size,
                                           shuffle=True)

test_loader = torch.utils.data.DataLoader(dataset=test_dataset,
                                           batch_size=batch_size,
                                           shuffle=False)

# Convolutional neural network (two convolutional layers)
class ConvNet(nn.Module):
    def __init__(self, num_classes=10):
        super(ConvNet, self).__init__()
        self.layer1 = nn.Sequential(
            nn.Conv2d(1, 16, kernel_size=5, stride=1, padding=2),
            nn.BatchNorm2d(16),
            nn.ReLU(),
            nn.MaxPool2d(kernel_size=2, stride=2))
        self.layer2 = nn.Sequential(
            nn.Conv2d(16, 32, kernel_size=5, stride=1, padding=2),
            nn.BatchNorm2d(32),
            nn.ReLU(),
            nn.MaxPool2d(kernel_size=2, stride=2))
        self.fc = nn.Linear(7 * 7 * 32, num_classes)

    def forward(self, x):
        out = self.layer1(x)
        out = self.layer2(out)
        out = out.reshape(out.size(0), -1)
        out = self.fc(out)
        return out

model = ConvNet(num_classes).to(device)

# Loss and optimizer
criterion = nn.CrossEntropyLoss()
optimizer = torch.optim.Adam(model.parameters(), lr=learning_rate)

# Train the model

```

(continues on next page)

(continued from previous page)

```

total_step = len(train_loader)
for epoch in range(num_epochs):
    for i, (images, labels) in enumerate(train_loader):
        images = images.to(device)
        labels = labels.to(device)

        # Forward pass
        outputs = model(images)
        loss = criterion(outputs, labels)

        # Backward and optimize
        optimizer.zero_grad()
        loss.backward()
        optimizer.step()

    if i % 30 == 0:
        print('Epoch [{} / {}], Step [{} / {}], '
              'Loss: {:.4f}'.format(epoch + 1, num_epochs, i + 1,
                                     total_step, loss.item()))

        # aim - Track model loss function
        aim_run.track(loss.item(), name='loss', epoch=epoch,
                      context={'subset': 'train'})

        correct = 0
        total = 0
        _, predicted = torch.max(outputs.data, 1)
        total += labels.size(0)
        correct += (predicted == labels).sum().item()
        acc = 100 * correct / total

        # aim - Track metrics
        aim_run.track(acc, name='accuracy', epoch=epoch, context={'subset': 'train'})

    if i % 300 == 0:
        aim_run.track(loss.item(), name='loss', epoch=epoch, context={'subset':
        ↪ 'val'})
        aim_run.track(acc, name='accuracy', epoch=epoch, context={'subset': 'val
        ↪ '})

# Test the model
model.eval()
with torch.no_grad():
    correct = 0
    total = 0
    for images, labels in test_loader:
        images = images.to(device)
        labels = labels.to(device)
        outputs = model(images)
        _, predicted = torch.max(outputs.data, 1)
        total += labels.size(0)

```

(continues on next page)

(continued from previous page)

```
correct += (predicted == labels).sum().item()

print('Test Accuracy: {} %'.format(100 * correct / total))
```

17.5 Message size limitations

Aim Remote Tracking server uses gRPC as a transport layer. gRPC imposes message size limits on sending/receiving messages from/to server. Aim is configured to use 16MB message size limit by default. If you want to specify a different limit, use `__AIM_RT_MAX_MESSAGE_SIZE__` environment variable.

```
# max message size 128MB
export __AIM_RT_MAX_MESSAGE_SIZE__=134217728
```

Note: The message max size should be the same for both Aim Remote Tracking server and client code.

17.6 Conclusion

As you can see, aim remote tracking server allows running experiments on multiple hosts with simple setup and minimal changes to your training code.

HOST AIM ON KUBERNETES (K8S)

Since Aim can run as a local server through FastAPI, it can be deployed to a K8S cluster! Hosting Aim on K8S comes with several advantages:

- multiple users of your organization can access Aim in a single spot, which removes the need for ML practitioners to run Aim themselves
- Aim runs can be centralized on a remote volume, which provides additional support and encouragement for remote model training and monitoring
- a deployment to K8S abstracts away the Aim CLI, which empowers users to focus on the value provided by Aim (visualizations/applications vs. CLI up and repo understanding)

The following sections illustrate how to deploy and serve Aim on K8S. The sections assume:

- access to a cloud provider, such as GCP, AWS, or Azure
- a repository that can host Dockerfiles, such as Google Artifact Registry or Dockerhub
- ability/permissions to provision a ReadWriteMany volume, or bind an existing one to a K8S deployment

18.1 Dockerfile

The following Dockerfile image should suffice for getting Aim running in a container:

```
# python3.7 should be sufficient to run Aim
FROM python:3.7

# install the `aim` package on the latest version
RUN pip install --upgrade aim

# make a directory where the Aim repo will be initialized, `/aim`
RUN mkdir /aim


ENTRYPOINT ["/bin/sh", "-c"]

# have to run `aim init` in the directory that stores aim data for
# otherwise `aim up` will prompt for confirmation to create the directory itself.
# We run aim listening on 0.0.0.0 to expose all ports. Also, we run
# using `--dev` to print verbose logs. Port 43800 is the default port of
# `aim up` but explicit is better than implicit.
CMD ["echo \"N\" | aim init --repo /aim && aim up --host 0.0.0.0 --port 43800 --workers_
↪2 --repo /aim"]
```

Assuming you store the above in your current directory, the container can be built using `docker build . -t my-aim-container:1` and pushed to your repository with `docker push my-docker-repository.dev/deployments/aim:1`.

18.2 Volume

The core advantage of using a K8S volume to store Aim runs is that other K8S deployments can mount the same volume and store their runs on it! This way, the core Aim K8S deployment can read the new runs and display them to users who want to visualize their results. For example, one can have a deployment that performs model training and records Aim runs on the same volume that is mounted to the Aim deployment! This model is illustrated by the following diagram:



Generally, volumes that support have the `ReadWriteMany` property are manually provisioned, such as Filestore instances on Google Cloud or, generally, GlusterFS volumes. Once a disk is provisioned, it can be bound to a persistent volume via an IP. Assuming you can provision a disk like this on your cloud provider and obtain an IP, we can create a volume representation, along with a claim for it. The persistent volume (`aim-pv.yaml`) can be formulated as:

```

apiVersion: v1
kind: PersistentVolume
metadata:
  name: aim-runs
spec:
  capacity:
    storage: 1Ti # or whatever size disk you provisioned
  accessModes:
    - ReadWriteMany
  nfs:
    path: /aim
    server: 123.12.123.12 # add your own IP here
  
```

The persistent volume claim (`aim-pvc.yaml`) is:

```

apiVersion: v1
kind: PersistentVolumeClaim
metadata:
  name: aim-runs-claim
spec:
  accessModes:
  
```

(continues on next page)

(continued from previous page)

```

- ReadWriteMany
storageClassName: "" # if you have a custom storage class, use it! Otherwise, it's
↪ `default`
volumeName: aim-runs
resources:
  requests:
    storage: 1Ti

```

These can be provisioned via:

```

> kubectl apply -f aim-pv.yaml
> kubectl apply -f aim-pvc.yaml

```

Once the volume is provisioned, we can mount it to our deployments!

18.3 Deployment

The main Aim deployment will have a single container that runs Aim. This deployment will mount the volume that was provisioned previously, and the main Aim repository will be initialized at the path the volume is mounted to. For example, if the volume is mounted to /aim, then the deployment will initialize and read Aim runs from that path. The K8S deployment is:

```

apiVersion: apps/v1
kind: Deployment
metadata:
  labels:
    app: my-aim-deployment
  name: my-aim-deployment
  namespace: default
spec:
  selector:
    matchLabels:
      app: my-aim-deployment
  strategy:
    rollingUpdate:
      maxSurge: 25%
      maxUnavailable: 25%
    type: RollingUpdate
  template:
    metadata:
      labels:
        app: my-aim-deployment
    spec:
      containers:
        image: my-docker-repository.dev/deployments/aim:1
        name: my-aim-deployment
        ports:
          - containerPort: 43800
            protocol: TCP
        resources:
          limits:

```

(continues on next page)

(continued from previous page)

```
    cpu: "1"
    memory: 2Gi
  requests:
    cpu: 100m
    memory: 1Gi
  volumeMounts:
    - mountPath: /aim
      name: aim-runs
  volumes:
    - name: aim-runs
      persistentVolumeClaim:
        claimName: aim-runs-claim
```

This K8S deployment:

- defines a pod with a single replica that runs the Aim server defined by the Dockerfile
- mounts the persistent volume `aim-run` through the `aim-run-claim` persistent volume claim
- the Dockerfile initializes the `/aim` directory as the Aim repo. Note that the Dockerfile already passes `N` to the confirmation prompt in case the repo is already initialized (this will be the case after the initial deployment creation, since the repo has to be initialized only once, but it's nice to avoid manual work)
- starts up the Aim server on port 43800, which reads all the runs stored at `/aim`

18.4 Service

Now that a deployment is deployed, the Aim server can be exposed through a K8S service! Depending on your cluster setup, you have several options for exposing the deployment. One option is to run:

```
> kubectl expose deployment my-aim-deployment --type=LoadBalancer --name=my-aim-service
```

Another alternative is to create the service definition yourself, and apply it. The definition (`aim-svc.yaml`) can be:


```
apiVersion: v1
kind: Service
metadata:
  name: my-aim-service
spec:
  selector:
    app: my-aim-deployment
  ports:
    - protocol: TCP
      port: 80
      targetPort: 43800
```

The service definition can be applied via:

```
> kubectl apply -f aim-svc.yaml
```

18.5 Conclusion

That's it! Now you have the following structure serving your users' Aim runs:



Assuming your users can submit a model training run to *some* pod/deployment that runs model training and has the right aim code to record a run at path `/aim`, your Aim deployment will be able to display the run the next time it performs a live update!

RUN AIM UI ON JUPYTER NOTEBOOK

Start your notebook with the following code to install Aim:

```
!pip install aim
```

Next, initialize a new run and save some hyperparameters:

```
from aim import Run

run = Run()

run['hparams'] = {
    'learning_rate': 0.001,
    'batch_size': 32,
}
```

Note: Do not forget to call `run.finalize()` once the training is over.

After tracking runs with `Run`, run the following commands in the notebook to run the Aim UI:

1. Load Aim extension for notebooks:

```
%load_ext aim
```

1. Run `%aim up` to open Aim UI in the notebook:

```
%aim up
```


RUN AIM UI ON SAGEMAKER NOTEBOOK INSTANCE

In this guide you will learn how to run Aim UI on your Sagemaker Jupyter instance

Aim can be installed and used on Jupyter notebooks. With SageMaker notebook instance, there are difficulties with establishing POST requests which prevents some Aim functionalities to work. So we have built a script to update the proxying package on SageMaker notebook instance. In order to work with Aim UI, please follow the steps below:

- Create a lifecycle configuration on your SageMaker Service.
- Copy and paste the [script](#) in your configuration's Start Notebook phase.

For more information how to create a lifecycle configuration on AWS SageMaker Service, please go through the [AWS SageMaker Documentation](#).

After creating a lifecycle configuration, attach it to your SageMaker instance and restart the instance.

It is possible to run this script manually from the terminal of your jupyter instance as well.

Note: Why this script is used for?

The script above will update the *jupyter-server-proxy* package on your notebook instance. To access a port on your instance (i.e. open the Aim UI) API requests and static files need to go through the proxy, which is created by the package (see the script). It will replace the existing proxy and make sure Aim and other such requests go through. For more information please go through the <https://github.com/jupyterhub/jupyter-server-proxy/pull/328#issue-1145874348>.

Once your notebook instance is successfully restarted you will be able to use Aim UI on the instance.

Next, install aim.

```
$ pip install aim
```

Initialize a new run and save some hyperparameters.

```
from aim import Run

run = Run()

run['hparams'] = {
    'learning_rate': 0.001,
    'batch_size': 32,
}
```

20.1 Using Terminal

In order to run Aim UI from a terminal, execute the following command:

```
$ aim up --base-path=/proxy/absolute/<your-port>/aim-sage
```

After running this command you will be able to open `<sagemaker_instance>/proxy/absolute/<your-port>/aim-sage/` in your browser. The default port is 43800.

It is possible to set `__AIM_PROXY_URL__` env variable, and `aim up` command will print out the generated url for Aim UI.

To find your proxy url, just copy your SageMaker URL and remove `/lab` postfix.

20.2 Using Notebook Extension

1. Load Aim extension for notebooks:

```
%load_ext aim
```

1. Run `%aim up` command to open Aim UI in the notebook:

```
%aim up --proxy-url=https://<instance>.notebook.<region>.sagemaker.aws
```

Will load the Aim UI in the notebook cell.

Will print out the proxy url under the loaded Aim UI. Use that URL to open Aim UI on your browser.

The default port is 43801 for notebook extension to prevent confusions. The `--port=<your-port>` argument is supported as well.

Note: In notebook extension, the only mandatory argument is `--proxy-url` when using it on SageMaker.

OVERVIEW

Aim is built around several concepts allowing to make sure that it meets the following criteria:

- **Run data isolation.** Each training run process isolated in terms of data and do not require additional services to run.
- **Scalability.** Aim web app is able to handle 1000s of training runs. Starting from v3.4.0 Aim provides a [Remote Tracking server](#) allowing to run multiple parallel experiments in a distributed multi-host environment.
- **Flexibility.** Aim UI and query language allow users to select, group and filter the tracked data any way they want.

21.1 Aim Components

In order to understand how Aim works, lets take a quick look on a different components it has.

- **Aim Storage.** At its core Aim uses a custom-built storage, based on [rocksdb](#). More details in ‘Where is data collected?’. Data tracked by different training runs collected and indexed in an aim repository (`.aim`). The storage itself is generic; it allows accessing the data as collection of dictionaries and arrays.
- **Aim SDK.** On top of the storage Aim SDK provides functionality to track/select/query data. Additionally, SDK is a layer used by Web APIs and CLI.
- **Aim UI.** Web app allowing to browse run metadata, metrics, images and other tracked data.
- **Aim CLI.** A collection of command line utilities for running Aim web server, managing aim repositories, runs, etc.
- **Remote Tracking server.** A [gRPC](#)-based service accepting incoming traffic and storing data on a centralized server.

The next sections will describe various concepts Aim introduces and provide more detailed look on individual components introduced above.

DATA STORAGE - WHERE AIM DATA IS COLLECTED

This section provides a deep-dive into Aim storage structure. It is important to know the internal storage organization in order to understand how it affects queries performance.

22.1 Storage structure

The core foundation for Aim storage is [rocksdb](#). It is a fast, embedded key-value store maintained by facebook. The aim repository is a collection of individual rocksdb databases with abstraction layers added to manage the collection as one database. The abstraction of a single KV store called Container. Below is the directory structure for a typical Aim project:

```
.aim
  run_metadata.sqlite
  meta/
    index/
    chunks/
      aacf48e769534c32a9cc5a3c/
      80483ab611a24bf5bd8fc288/
      16f83a2c2f50477f8446f322/
    progress/
      aacf48e769534c32a9cc5a3c
      80483ab611a24bf5bd8fc288
    locks/
      aacf48e769534c32a9cc5a3c
      80483ab611a24bf5bd8fc288
  seqs/
    chunks/
      aacf48e769534c32a9cc5a3c/
      80483ab611a24bf5bd8fc288/
      16f83a2c2f50477f8446f322/
    progress/
      aacf48e769534c32a9cc5a3c
      80483ab611a24bf5bd8fc288
    locks/
      aacf48e769534c32a9cc5a3c
      80483ab611a24bf5bd8fc288
```

There are two main parts of the storage:

- `run_metadata.sqlite`: SQLite database for storing Run structured data, such as, creation time, name, Experiment it is attached to, Tags etc.

- **meta/** and **seqs/** directories: a collection of rocksdb storages. Used to write Runs tracked data, such as params, metrics and objects.

In the tree above the hash-strings (i.e. `aacf48e769534c32a9cc5a3c`) represent a single Run. When the new Run is started, aim will create two Containers:

- **Meta** container for logged params as well as metadata about collected sequences, contexts, etc.
- **Sequence** container for the value series.

The reason the actual sequence data separated from metadata is the necessity for fast queries, regardless sequence size.

Additionally, per each container two files will be created to properly manage the container state

- **lock** file, indicating that the container opened in write-mode.
- **progress** file, indicating that container potentially has un-indexed data.

This setup allows implementing concurrent training jobs setup without requiring additional synchronization routines, and without the risk of losing or corrupting the data. For example, two jobs might run on different hosts where aim repo mounted on a shared NFS location.

22.2 What is the index container?

Each run writes data into its own isolated containers. The aim queries require reading the Run metadata from **meta** container. However, with 1000s of runs opening each meta container database will slow-down the queries. Here the indexing of metadata becomes crucial.

Run object maintains lock for both **meta** and **sequence** containers during the training script execution. Run will continue to write its data into its own containers. Once the execution finishes, **meta** container data indexed, the container locks released, and the progress file removed. The **sequence** container data is not indexed, since the individual points of a sequence are not queryable, and the sequence info is available in **meta** container.

22.3 How data written to/read from the storage?

Run object provides interface for logging the Run parameters dict-like data and tracking series of scalars and objects. Aim has a custom encoding layer which translates this hierarchical data into the sets of key-value pairs to be written into rocksdb. The same encoding layer is responsible for re-constructing the tracked data/objects. During query execution, aim SDK will walk through all runs in **index** container + the **meta** containers for chunks which have progress file (remember that progress file indicates potentially un-indexed data for the Run). If the run/sequence match the query expression, the appropriate run/sequence will be yielded. Notice that till this point no data was accessed from the **sequence** container. The sequence data itself is read upon request.

STORAGE INDEXING - HOW AIM DATA IS INDEXED

23.1 Background

When tracking experiment metadata with Aim, each run creates its own isolated space in aim repository. This allows to run multiple concurrent experiments without setting-up additional services responsible for data writes synchronization. Once run is complete, all the data it tracked is being indexed. We call this step run finalization. When the training script terminated with SIGTERM signal, Aim will handle this and make sure that run properly finalized and data is indexed. However, there are cases when training terminated abnormally and data remains unindexed.

23.2 How things worked before?

Due to the chunks of data being unindexed, chunks of data would remain in the runs' separate storage but not in index storage. This means that queries had to open multiple files to read the repo data. Once failed runs started to accumulate, queries will slow down. In order to mitigate this `aim reindex command` has been introduced. The command will scan the aim repo and index all stalled runs.

23.3 Automatic indexing

Though `aim reindex` command will address the performance issues it is not the most convenient way to do. The questions such as “When should I run `aim reindex`?” or “How frequent should I run `aim reindex`?” depend on the actual aim repository and use-case. Thus, we need to automate the indexing of aim repository. Each time `aim up` command is ran, Aim will spawn a background thread along with the web server. The thread will check for the unindexed runs and reindex them one at the time. This will keep queries performance high without locking the index storage for too long.

23.4 Conclusion

With the new automatic indexing logic in place, users don't have to manually run `aim reindex` command. It is still in place for cases when all the runs data should be indexed at once. The combination of automatic (implicit) and manual (explicit) reindexing makes sure aim repo has good performance in a long-term usage scenarios and provides good overall user experience.

CONCEPTS

All the functionality in Aim is build around several key concepts. This chapter will give a brief overview of these core concepts. For more details please check the [Reference](#) section or [Glossary](#).

24.1 Aim Run

Run is an abstraction representing the tracked data for a single experiment. Its in memory model is SDK class `aim.Run`. It is a core class used in your training script for tracing metrics and objects, as well as storing training hyperparams and other data. Run object are queryable and UI provides a rich functionality for exploring runs and browsing single run details.

24.2 Aim Repo

While you do multiple training experiments, multiple runs data stored in a single directory called Aim repository (repo for short). You can think of aim repo as an application centralized database. SDK provides an in memory model for repo `aim.Repo` class. It is responsible for repository resources management and might be used to query and/or iterate over the stored data.

24.3 Run Params

Each run has a set of parameters associating with it. This might include the training script hyperparameters, dataset information, etc. The Run object provides dictionary-like interface to set and access run params. Run parameters are also available in the context of queries. You can set the whole configuration at once with the syntax like this:

```
run['hparams'] = conf
```

At this moment Run supports setting configuration from Python dictionaries and `OmegaConf` configs. Support of popular configuration formats constantly added. You can check the full list in [Supported Data types](#) section.

24.4 Run Sequence

The sequence is a set of homogeneous ordered objects. In aim sequence must be bound to the Run object. When the value is tracked in aim, it is appended to an existing or newly created Sequence object. The entire sequences can be queried using aim QL and each sequence can be sliced further down. Sequence object is agnostic to the element type it holds. The way how the sequence represented in UI, and the set of additional operations it might have depends on the element type. For example Metric is a sequence of scalars. It can be represented as a value chart in UI, and SDK provides methods to convert it to `numpy.ndarray`.

24.5 Sequence Context

The sequence context provides a mechanism to query/group multiple sequences beyond simple string comparison on sequence name. Sequences with the same name but with different context can perfectly coexist in the scope of one Run. In other words, sequence defined by its Run, name and context. The example usage of this is tracking the same metric 'loss' for different stages of training (train, validation, test). The resulting Run will have 3 metrics: 1) 'loss' {'subset': 'train'} 2) 'loss' {'subset': 'val'} 3) 'loss' {'subset': 'test'} Here is a small code example demonstrating how to specify context for a metric sequence:

```
from aim import Run

aim_run = Run()
for i in range(100):
    if i % 2 == 0:
        aim_run.track(i, name=r'numbers', context={'odds': True})
    else:
        aim_run.track(i, name=r'numbers', context={'odds': False})
```

TRACK AND COMPARE GANS WITH AIM

25.1 Overview

[Generative Adversarial Networks](#), or GANs, are deep-learning-based generative models.

Generative modeling is an unsupervised learning task in machine learning that involves automatically discovering and learning the patterns of input data in such a way that the model can be used to generate new examples that plausibly could have been drawn from the original dataset.

In this guide we will show you how to integrate Aim with your GAN and GAN with EMA to compare the generated images from both experiments to compare their performances.

25.2 Experiment

We will train and compare a regular GAN vs GAN with EMA. EMA is a technique for parameter averaging in GAN training, which computes an exponentially discounted sum of weights.

We will use [lightweight-gan](#) model implemented by [lucidrains](#) and [MetFaces Dataset](#) as a training dataset.

To be able to analyze the results we will fix random 64 points and track them during the training both for a regular GAN and GAN w/ EMA.

25.3 Track images with Aim

1. Initialize a new run in the trainer class to collect and store sequences of images:

```
class Trainer():
    def __init__(
        self,
        name = 'default',
        results_dir = 'results',
        models_dir = 'models',
        ...
    ):
        ...
    self.run = aim.Run()           # Initialize aim.Run
    self.run['hparams'] = hparams  # Log hyperparams
    ...
```

Code on [GitHub](#)

1. Track images generated by a regular GAN:

```
# Regular GAN

# Get generated images
generated_images = self.generate_(self.GAN.G, latents)

aim_images = []
for idx, image in enumerate(generated_images):
    ndarr = image.mul(255).add_(0.5).clamp_(0, 255).permute(1, 2, 0).to('cpu', torch.
↳ uint8).numpy()
    im = PIL.Image.fromarray(ndarr)
    aim_images.append(aim.Image(im, caption=f'#{idx}'))

# Store with Aim (name="generated" and context.ema=0)
self.run.track(value=aim_images, name='generated', step=self.steps, context={'ema':
↳ False})
```

Code on [GitHub](#)

1. Track images generated by a GAN with enabled EMA:

```
# GAN with moving averages

# Get generated images
generated_images = self.generate_(self.GAN.GE, latents)

aim_images = []
for idx, image in enumerate(generated_images):
    ndarr = image.mul(255).add_(0.5).clamp_(0, 255).permute(1, 2, 0).to('cpu', torch.
↳ uint8).numpy()
    im = PIL.Image.fromarray(ndarr)
    aim_images.append(aim.Image(im, caption=f'EMA #{idx}'))

# Store with Aim (name="generated" and context.ema=1)
self.run.track(value=aim_images, name='generated', step=self.steps, context={'ema': True}
↳ )
```

Code on [GitHub](#)

25.4 Explore the results with Aim UI

1. Visualize images generated by a regular GAN:

1. Visualize images generated by GAN with EMA:

As you may notice GAN with EMA converges in an exponential fashion and has better results at the end.

1. Let's compare the final step of the two methods side by side:

25.5 Conclusion

As you can see GAN with EMA performed much better compared to the regular one.

With Aim you can easily compare diff groups of tracked images from diff runs.

Group them by the run hash, other parameters available to slice and dice and observe the difference between the runs.

AIM CLI

Aim CLI offers a simple interface to easily organize and record your experiments. Paired with the Python Library, Aim is a powerful utility to record, search and compare AI experiments. Here are the set of commands supported:

Command	Description
<code>init</code>	Initialize the aim repository.
<code>version</code>	Displays the version of aim cli currently installed.
<code>up</code>	Runs Aim web UI for the given repo.
<code>upgrade</code>	Upgrades legacy Aim repository from 2.x to 3.0.
<code>reindex</code>	Process runs left in 'in progress' state and optimized finished runs.
<code>server</code>	Run aim remote tracking server accepting incoming RPC requests. <i>Experimental feature.</i>
<code>runs</code>	Manage run data for the given repo.
<code>convert</code>	Tool-set for converting 3rd party data into Aim readable format.

26.1 init

****This step is optional.**** Initialize the aim repo to record the experiments.

```
$ aim init
```

Creates `.aim` directory to save the recorded experiments to. Running `aim init` in an existing repository will prompt the user for re-initialization.

Args	Description
<code>--repo <repo_path></code>	Path to parent directory of <code>.aim</code> repo. <i>Current working directory by default</i>

****Beware:**** Re-initialization of the repo clears `.aim` folder from previously saved data and initializes new repo.

****Note:**** This command is not necessary to be able to get started with Aim as aim is automatically initializes with the first aim function call.

26.2 version

Display the Aim version installed.

```
$ aim version
```

26.3 up

Start the Aim web UI locally.

```
$ aim up [ARGS]
```

Args	Description
<code>-h</code> | <code>--host</code> <host>	Specify host address.
<code>-p</code> | <code>--port</code> <port>	Specify port to listen to.
<code>--repo</code> <repo_path>	Path to parent directory of <code>.aim</code> repo. <i>Current working directory by default</i>
<code>--dev</code>	Run UI in development mode.

26.4 upgrade

Upgrade Aim repository containing data logged with older version of Aim.

```
$ aim upgrade [ARGS] SUBCOMMAND
```

Args	Description
<code>--repo</code> <repo_path>	Path to parent directory of <code>.aim</code> repo. <i>Current working directory by default</i>

upgrade subcommands

Upgrade aim repository from 2.x to 3.0.

```
$ aim upgrade 2to3 [ARGS]
```

Args	Description
<code>--skip-failed-runs</code>	Use this flag to skip runs which are failed/have missing or incomplete data.
<code>--skip-checks</code>	Use this flag to skip new repository consistency checks.
<code>--drop-existing</code>	Use this flag to clear old <code>.aim</code> directory. By default old data is kept in <code>.aim_legacy</code> .

26.5 reindex

Update index to include all runs in Aim repo which are left in progress.

```
$ aim reindex [ARGS]
```

Args	Description
<code>--repo <repo_path></code>	Path to parent directory of .aim repo. <i>Current working directory by default</i>
<code>--finalize-only</code>	Only finalize runs left in 'in progress' state. Do not attempt runs optimization.

26.6 server

Run a gRPC server to collect tracked data from remote clients.

```
$ aim server [ARGS]
```

Args	Description
<code>--repo <repo_path></code>	Path to parent directory of .aim repo. <i>Current working directory by default</i>
<code>-h &#124; --host <host></code>	Specify host address.
<code>-p &#124; --port <port></code>	Specify port to listen to. <i>Default is 53800</i>
<code>-w &#124; --workers <N></code>	Specify number of gPRC workers. <i>Default is 1 worker.</i>
<code>--ssl-keyfile</code>	Specify path to keyfile for secure connection.
<code>--ssl-certfile</code>	Specify path to cert. file for secure connection.

26.7 runs

Upgrade Aim repository runs data.

```
$ aim runs [ARGS] SUBCOMMAND
```

Args	Description
<code>--repo <repo_path></code>	Path to parent directory of .aim repo. <i>Current working directory by default</i>

runs subcommands

Sub-command	Description
<code>ls</code>	List runs in aim repository.
<code>rm</code>	Remove run data for given runs hashes. At lease one run should be specified
<code>cp</code>	Copy run data for given runs hashes. At lease one run should be specified
<code>mv</code>	Move run data for given runs hashes. At lease one run should be specified

Global expression (*) support is available for run hashes. If hash contains *, it must be enclosed within quotes (' ') as bash resolves the expression before passing it to `aim runs` command.

```
$ aim runs ls
```

```
$ aim runs rm [HASH] ...
```

```
$ aim runs cp [ARGS] [HASH] ...
```

Args	Description
<code>--destination <dest_repo_path></code>	Path to destination repo. Required.

```
$ aim runs mv [ARGS] [HASH] ...
```

Args	Description
<code>--destination <dest_repo_path></code>	Path to destination repo. Required.

26.8 convert

Tool-set for converting 3rd party data into Aim readable format.

```
$ aim convert [ARGS] SUBCOMMAND
```

Args	Description
<code>--repo <repo_path></code>	Path to parent directory of <code>.aim</code> repo. <i>Current working directory by default</i>

convert subcommands

Sub-command	Description
<code>tf</code>	Convert from TensorFlow events
<code>mlflow</code>	Convert from MLFlow logs

Sub-command: tf

Options	Description
<code>--flat</code>	Disregard context directory and treat them as distinct run directories. Inactive by default.

Sub-command: mlflow

Options	Description
<code>--tracking_uri</code>	MLFlow logs URI. Can be either an HTTP/HTTPS URI for a remote server, a database connection string, or a local path.
<code>-e</code> <code>&#124;</code> <code>--experiment</code>	MLFlow Experiment name. If specified, only runs for <code>exp_name</code> will be converted.

27.1 aim.sdk.repo module

class `aim.sdk.repo.Repo`(*path*, *, *read_only=None*, *init=False*)
Aim repository object.

Provides methods for repositories creation/opening/cleanup. Provides APIs for accessing Runs. Provides API for querying Runs/Metrics based on a given expression.

Parameters

- **path** (*str*) – Path to Aim repository.
- **read_only** (*bool*, optional) – Flag for opening Repo in readonly mode. False by default.
- **init** (*bool*, optional) – Flag used to initialize new Repo. False by default. Recommended to use `aim init` command instead.

`collect_params_info()`

Utility function for getting run meta-parameters.

Returns All runs meta-parameters.

Return type `dict`

`collect_sequence_info(sequence_types)`

Utility function for getting sequence names and contexts for all runs by given sequence types.

Parameters

- **sequence_types** (*tuple[str]*, optional) – Sequence types to get tracked sequence names/contexts for.
- **'metric'**. (*Defaults to*) –

Returns Tree of sequences and their contexts grouped by sequence type.

Return type `dict`

`copy_runs(run_hashes, dest_repo)`

Copy multiple Runs data from current aim repository to destination aim repository

Parameters

- **run_hashes** (*str*) – list of Runs to be copied.
- **dest_repo** (*Repo*) – destination Repo instance to copy Runs

Returns (`True`, `[]`) if all runs were copied successfully, (`False`, `list`) with list of remaining runs otherwise.

classmethod `default_repo(init=False)`

Named constructor for default repository.

Searches nearest `.aim` directory from current directory to roo directory. If not found, return Repo for current directory.

Parameters `init` (bool, optional) – Flag used to initialize new Repo. False by default. Recommended to use `aim init` command instead.

Returns `Repo` object.

delete_run(`run_hash`)

Delete Run data from aim repository

This action removes run data permanently and cannot be reverted. If you want to archive run but keep it's data use `repo.get_run(run_hash).archived = True`.

Parameters `run_hash` (str) – Run to be deleted.

Returns True if run deleted successfully, False otherwise.

delete_runs(`run_hashes`)

Delete multiple Runs data from aim repository

This action removes runs data permanently and cannot be reverted. If you want to archive run but keep it's data use `repo.get_run(run_hash).archived = True`.

Parameters `run_hashes` (str) – list of Runs to be deleted.

Returns (True, []) if all runs deleted successfully, (False, list) with list of remaining runs otherwise.

classmethod `exists(path)`

Check Aim repository existence.

Parameters `path` (str) – Path to Aim repository.

Returns True if repository exists, False otherwise.

classmethod `from_path(path, read_only=None, init=False)`

Named constructor for Repo for given path.

Parameters

- `path` (str) – Path to Aim repository.
- `read_only` (bool, optional) – Flag for opening Repo in readonly mode. False by default.
- `init` (bool, optional) – Flag used to initialize new Repo. False by default. Recommended to use `aim init` command instead.

Returns `Repo` object.

get_run(`run_hash`)

Get run if exists.

Parameters `run_hash` (str) – Run hash.

Returns Run object if hash is found in repository. *None* otherwise.

iter_runs()

Iterate over Repo runs.

Yields next Run in readonly mode .

move_runs(`run_hashes, dest_repo`)

Move multiple Runs data from current aim repository to destination aim repository

Parameters

- **run_hashes** (*str*) – list of Runs to be moved.
- **dest_repo** (*Repo*) – destination Repo instance to move Runs

Returns (True, []) if all runs were moved successfully, (False, list) with list of remaining runs otherwise.

query_audios(*query=""*)

Get audio collections satisfying query expression.

Parameters **query** (*str*) – query expression.

Returns Iterable for audio sequences matching query expression.

Return type SequenceCollection

query_distributions(*query=""*)

Get distribution collections satisfying query expression.

Parameters **query** (*str*) – query expression.

Returns Iterable for distribution sequences matching query expression.

Return type SequenceCollection

query_figure_objects(*query=""*)

Get Figures collections satisfying query expression.

Parameters **query** (*str*) – query expression.

Returns Iterable for Figure sequences matching query expression.

Return type SequenceCollection

query_images(*query=""*)

Get image collections satisfying query expression.

Parameters **query** (*str*) – query expression.

Returns Iterable for image sequences matching query expression.

Return type SequenceCollection

query_metrics(*query=""*)

Get metrics satisfying query expression.

Parameters **query** (*str*) – query expression.

Returns Iterable for metrics matching query expression.

Return type MetricCollection

query_runs(*query="", paginated=False, offset=None*)

Get runs satisfying query expression.

Parameters

- **query** (*str*, optional) – query expression. If not specified, query results will include all runs.
- **paginated** (*bool*, optional) – query results pagination flag. False if not specified.
- **offset** (*str*, optional) – *hash* of Run to skip to.

Returns Iterable for runs/metrics matching query expression.

Return type SequenceCollection

query_texts(*query*="")

Get text collections satisfying query expression.

Parameters **query** (*str*) – query expression.

Returns Iterable for text sequences matching query expression.

Return type SequenceCollection

classmethod **rm**(*path*)

Remove Aim repository.

Parameters **path** (*str*) – Path to Aim repository.

27.2 aim.sdk.run module

class aim.sdk.run.**Run**(*run_hash=None, *, repo=None, read_only=False, experiment=None, system_tracking_interval=10, log_system_params=False*)

Run object used for tracking metrics.

Provides method [track](#) to track value and object series for multiple names and contexts. Provides dictionary-like interface for Run object meta-parameters. Provides API for iterating through tracked sequences.

Parameters

- **run_hash** (*str*, optional) – Run’s hash. If skipped, generated automatically.
- **(repo)** – obj: Union[Repo,*str*], optional): Aim repository path or Repo object to which Run object is bound. If skipped, default Repo is used.
- **read_only** (*bool*, optional) – Run creation mode. Default is False, meaning Run object can be used to track metrics.
- **experiment** (*str*, optional) – Sets Run’s *experiment* property. ‘default’ if not specified. Can be used later to query runs/sequences.
- **system_tracking_interval** (*int*, optional) – Sets the tracking interval in seconds for system usage metrics (CPU, Memory, etc.). Set to *None* to disable system metrics tracking.
- **log_system_params** (*bool*, optional) – Enable/Disable logging of system params such as installed packages, git info, environment variables, etc.

__delitem__(*key*)

Remove key from run meta-params. :param key: meta-parameter path

__getitem__(*key*)

Get run meta-parameter by key.

Parameters **key** – path to Run meta-parameter.

Returns Collected sub-tree of Run meta-parameters.

Examples

```
>>> run = Run('3df703c')
>>> run['hparams'] # -> {'batch_size': 42}
>>> run['hparams', 'batch_size'] # -> 42
```

__setitem__(key, val)

Set Run top-level meta-parameter.

Parameters

- **key** (str) – Top-level meta-parameter name. Use ellipsis to reset run's all meta-parameters.
- **val** – Meta-parameter value.

Examples

```
>>> run = Run('3df703c')
>>> run[...] = params
>>> run['hparams'] = {'batch_size': 42}
```

add_tag(value)

Add tag to run

Parameters **value** (str) – Tag to add.

collect_sequence_info(sequence_types, skip_last_value=False)

Retrieve Run's all sequences general overview.

Parameters

- **sequence_types** – Type names of sequences for which to collect name/context pairs.
- **skip_last_value** (bool, optional) – Boolean flag to include tracked sequence last value in
- **default.** (*sequence info. False by*) –

Returns list of sequence's *context, name* and optionally last tracked value triplets.

Return type list

dataframe(include_props=True, include_params=True)

Get run properties and params as pandas DataFrame

Parameters

- **include_props** – (int, optional): If true, include run structured props
- **include_params** – (int, optional): If true, include run parameters

get_audio_sequence(name, context)

Retrieve audios sequence by its name and context.

Parameters

- **name** (str) – Tracked audios sequence name.
- **context** (Context) – Tracking context.

Returns Audios object if exists, *None* otherwise.

get_distribution_sequence(*name, context*)

Retrieve distributions sequence by it's name and context.

Parameters

- **name** (*str*) – Tracked distribution sequence name.
- **context** (*Context*) – Tracking context.

Returns Distributions object if exists, *None* otherwise.

get_figure_sequence(*name, context*)

Retrieve figure sequence by its name and context.

Parameters

- **name** (*str*) – Tracked figure sequence name.
- **context** (*Context*) – Tracking context.

Returns Figures object if exists, *None* otherwise.

get_image_sequence(*name, context*)

Retrieve images sequence by it's name and context.

Parameters

- **name** (*str*) – Tracked image sequence name.
- **context** (*Context*) – Tracking context.

Returns Images object if exists, *None* otherwise.

get_metric(*name, context*)

Retrieve metric sequence by it's name and context.

Parameters

- **name** (*str*) – Tracked metric name.
- **context** (*Context*) – Tracking context.

Returns Metric object if exists, *None* otherwise.

get_text_sequence(*name, context*)

Retrieve texts sequence by it's name and context.

Parameters

- **name** (*str*) – Tracked text sequence name.
- **context** (*Context*) – Tracking context.

Returns Texts object if exists, *None* otherwise.

iter_metrics_info()

Iterator for all run metrics info.

Yields tuples of (name, context, run) where run is the Run object itself and name, context defines Metric type sequence (with values of *float* and *int*).

iter_sequence_info_by_type(*dtypes*)

Iterator for run sequence infos for the given object data types

Parameters **dtypes** – The objects data types list.

Yields tuples of (name, context, run) where run is the Run object itself and name, context defines sequence for one of *dtypes* types.

metrics()

Get iterable object for all run tracked metrics.

Returns Iterable for run metrics.

Return type MetricCollection

Examples

```
>>> run = Run('3df703c')
>>> for metric in run.metrics():
>>>     metric.values.sparse_numpy()
```

remove_tag(tag_name)

Remove run tag.

Parameters **tag_name** (*str*) – *name* of tag to be removed.

track(value, name, step=None, epoch=None, *, context=None)

Main method for tracking numeric value series and object series.

Parameters

- **value** – The tracked value.
- **name** (*str*) – Tracked sequence name.
- **step** (*int*, optional) – Sequence tracking iteration. Auto-incremented if not specified.
- **epoch** (*int*, optional) – The training epoch.
- **context** (*dict*, optional) – Sequence tracking context.

Appends the tracked value to sequence specified by *name* and *context*. Appended values should be of the same type, in other words, sequence is a homogeneous collection.

property archived

Check is run archived or not.

Getter Returns run's archived state.

Setter Archive/un-archive run.

Type bool

property creation_time

Run object creation time [UTC] as timestamp.

Getter Returns run creation time.

property description

Run description, set by user.

Getter Returns run's description.

Setter Sets run's description.

Type string

property end_time

Run finalization time [UTC] as timestamp.

Getter Returns run finalization time.

property experiment

Run experiment.

Getter Returns run's experiment name.

Setter Sets run's experiment.

Type string

property name

Run name, set by user.

Getter Returns run's name.

Setter Sets run's name.

Type string

property tags

List of run tags.

Getter Returns run's tag list.

27.3 aim.sdk.objects.image

class aim.sdk.objects.image.**Image**(*args, **kwargs)

Image object used to store image objects in Aim repository...

Parameters

- ((*optimize*) – obj): pillow *Image* object or *torch.Tensor* or *numpy.array* used to construct *aim.Image*.
- **caption** (str, optional) – Optional image caption. “” by default.
- (– obj: *str*, optional): Parameter for PIL's .save() method. 'png' by default.
- (– obj: *int*, optional): Parameter for PIL's .save() method. 85 by default.
- (– obj: *bool*, optional): Parameter for PIL's .save() method. False by default.
- **format** (*For more information on the*) –
- **parameters** (*quality and optimize*) –
- **documentation.** (*refer to PIL*) –

Example of params to reduce quality of the image: format='jpeg', optimize=True, quality=85

json()

Dump image metadata to a dict

to_pil_image()

Method to convert aim.Image to pillow Image

property caption

Image caption, set by user.

Getter Returns image caption.

Setter Sets image caption.

Type string

property format

Stored image format.

Getter Returns image format.**Type** string**property height**

Stored image height.

Getter Returns image height.**Type** string**property size**

Stored image size.

Getter Returns image (width, height) pair.**Type** string**property width**

Stored image width.

Getter Returns image width.**Type** string

27.4 aim.sdk.objects.distribution

class aim.sdk.objects.distribution.Distribution(*args, **kwargs)

Distribution object used to store distribution objects in Aim repository.

Parameters

- ((*distribution*) – obj): array-like object used to construct *aim.Distribution*.
- **bin_count** (int, optional) – Optional distribution bin count. 64 by default, max 512.

json()

Dump distribution metadata to a dict

to_np_histogram()Return *np.histogram* compatible format of the distribution**property bin_count**

Stored distribution bin count

Getter Returns distribution bin_count.**Type** string**property range**

Stored distribution range

Getter Returns distribution range.**Type** List**property ranges**

Stored distribution ranges

Getter Returns distribution ranges as *np.array*.**Type** np.ndarray

property weights

Stored distribution weights

Getter Returns distribution weights as *np.array*.

Type *np.ndarray*

27.5 aim.sdk.objects.audio

class *aim.sdk.objects.audio.Audio(*args, **kwargs)*

Audio object used to store audio objects in Aim repository..

Currently, audio formats are limited to mp3, wav, flac

Parameters

- **data** – file path, bytes, *io.BaseIO* or *numpy.array* (only for WAV)
- **format** (*str*) – Format of the audio source
- **rate** (*int*) – Rate of the audio file, for WAV defaults to 22500
- **caption** (*str*, optional) – Optional audio caption. ‘’ by default.

get()

Reads data from the inner container and writes it to a buffer

Returns: *io.BytesIO*

json()

Dump audio metadata to a dict

to_numpy()

This method converts WAV to Numpy array. Other audio formats are not supported at this moment.

Returns: *numpy array*

27.6 aim.sdk.objects.text

class *aim.sdk.objects.text.Text(*args, **kwargs)*

Text object used to store text objects in Aim repository.

Parameters ((*text*) – *obj*): *str* object used to construct *aim.Text*.

27.7 aim.sdk.objects.figure

class *aim.sdk.objects.figure.Figure(*args, **kwargs)*

Figure object can be used for storing Plotly or Matplotlib figures into Aim repository. Core functionality is based on Plotly.

Parameters ((*obj*) – *obj*): plotly or matplotlib figure object.

json()

Dump figure metadata to a dict

27.8 aim.sdk.sequence module

class aim.sdk.sequence.Sequence(*name, context, run*)

Class representing single series of tracked value.

Objects series can be retrieved as Sequence regardless the object's type, but subclasses of Sequence might provide additional functionality. Provides interface to access tracked values, steps, timestamps and epochs. Values, epochs and timestamps are accessed via [aim.storage.arrayview.ArrayView](#) interface.

classmethod allowed_dtypes()

classmethod to get allowed object types for particular sequence

For example, numeric sequences a.k.a. Metric allow float and integer numbers. The base Sequence allows any value, and to indicate that, *allowed_dtypes* returns '*'.

classmethod sequence_name()

classmethod to get retrieve sequence's registered name

property epochs

Tracked epochs array as [ArrayView](#).

Getter Returns epochs [ArrayView](#).

property indices

Metric tracking steps as list.

Getter Returns steps list.

property timestamps

Tracked timestamps array as [ArrayView](#).

Getter Returns timestamps [ArrayView](#).

property values

Tracked values array as [ArrayView](#).

Getter Returns values [ArrayView](#).

27.9 aim.sdk.sequences.metric module

27.10 aim.sdk.sequences.image_sequence module

class aim.sdk.sequences.image_sequence.Images(*name, context, run*)

Class representing series of Image objects or Image lists.

classmethod sequence_name()

classmethod to get retrieve sequence's registered name

27.11 aim.sdk.sequences.distribution_sequence module

class aim.sdk.sequences.distribution_sequence.**Distributions**(*name, context, run*)
Class representing series of Distribution objects.

first_step()

Get sequence tracked first step.

Required to implement ranged and sliced data fetching.

last_step()

Get sequence tracked last step.

Required to implement ranged and sliced data fetching.

classmethod **sequence_name()**

classmethod to get retrieve sequence's registered name

27.12 aim.sdk.sequences.audio_sequence module

class aim.sdk.sequences.audio_sequence.**Audios**(*name, context, run*)
Class representing series of Audio objects or Audio lists.

classmethod **sequence_name()**

classmethod to get retrieve sequence's registered name

27.13 aim.sdk.sequences.text_sequence module

class aim.sdk.sequences.text_sequence.**Texts**(*name, context, run*)
Class representing series of Text objects.

classmethod **sequence_name()**

classmethod to get retrieve sequence's registered name

27.14 aim.sdk.sequences.figure_sequence module

class aim.sdk.sequences.figure_sequence.**Figures**(*name, context, run*)
Class representing series of Plotly figure objects or Plotly lists.

first_step()

Get sequence tracked first step.

Required to implement ranged and sliced data fetching.

last_step()

Get sequence tracked last step.

Required to implement ranged and sliced data fetching.

classmethod **sequence_name()**

classmethod to get retrieve sequence's registered name

27.15 aim.sdk.sequence_collection module

class aim.sdk.sequence_collection.**SequenceCollection**

Abstract interface for collection of tracked series/sequences.

Typically represents sequences of a same run or sequences matching given query expression.

abstract iter()

Get Sequence iterator for collection's sequences.

Yields Next sequence object based on implementation.

abstract iter_runs()

Get SequenceCollection iterator for collection's runs.

Yields Next run's SequenceCollection based on implementation.

class aim.sdk.sequence_collection.**SingleRunSequenceCollection**(*run, seq_cls=<class 'aim.sdk.sequence.Sequence'>, query=""*)

Bases: [aim.sdk.sequence_collection.SequenceCollection](#)

Implementation of SequenceCollection interface for a single Run.

Method *iter()* returns Sequence iterator which yields Sequence matching query from run's sequences. Method *iter_runs()* raises StopIteration, since the collection is bound to a single Run.

Parameters

- **run** (Run) – Run object for which sequences are queried.
- **seq_cls** (type) – The collection's sequence class. Sequences not matching to *seq_cls.allowed_dtypes* will be skipped. *Sequence* by default, meaning all sequences will match.
- **query** (str, optional) – Query expression. If specified, method *iter()* will return iterator for sequences matching the query. If not, method *iter()* will return iterator for run's all sequences.

class aim.sdk.sequence_collection.**QuerySequenceCollection**(*repo, seq_cls=<class 'aim.sdk.sequence.Sequence'>, query=""*)

Bases: [aim.sdk.sequence_collection.SequenceCollection](#)

Implementation of SequenceCollection interface for repository's sequences matching given query.

Method *iter()* returns Sequence iterator, which yields Sequence matching query from currently iterated run's sequences. Once there are no sequences left in current run, repository's next run is considered. Method *iter_runs()* returns SequenceCollection iterator for repository's runs.

Parameters

- **repo** (Repo) – Aim repository object.
- **seq_cls** (type) – The collection's sequence class. Sequences not matching to *seq_cls.allowed_dtypes* will be skipped. *Sequence* by default, meaning all sequences will match.
- **query** (str, optional) – Query expression. If specified, method *iter()* will skip sequences not matching the query. If not, method *iter()* will return iterator for all sequences in repository (that's a lot of sequences!).

```
class aim.sdk.sequence_collection.QueryRunSequenceCollection(repo, seq_cls=<class  
                                                                'aim.sdk.sequence.Sequence'>,  
                                                                query="", paginated=False,  
                                                                offset=None)
```

Bases: *aim.sdk.sequence_collection.SequenceCollection*

Implementation of SequenceCollection interface for repository's runs matching given query.

Method *iter()* returns Sequence iterator which yields Sequence for current run's all sequences. Method *iter_runs()* returns SequenceCollection iterator from repository's runs matching given query.

Parameters

- **repo** (Repo) – Aim repository object.
- **seq_cls** (type) – The collection's sequence class. Sequences not matching to *seq_cls.allowed_dtypes* will be skipped. *Sequence* by default, meaning all sequences will match.
- **query** (str, optional) – Query expression. If specified, method *iter_runs()* will skip runs not matching the query. If not, method *iter_run()* will return SequenceCollection iterator for all runs in repository.

AIM STORAGE

28.1 aim.storage.arrayview module

class aim.storage.arrayview.**ArrayView**

Array of homogeneous elements with sparse indices. Interface for working with array as a non-sparse array is available for cases when index values are not important.

first()

First index and value of the array.

first_idx()

First index of the array.

first_value()

First value of the array.

indices()

Return sparse indices iterator.

Yields Array's next sparse index.

indices_list()

Get sparse indices as a list.

indices_numpy()

Get sparse indices as numpy array.

items()

Return items iterator.

Yields Tuple of array's next sparse index and value.

keys()

Return sparse indices iterator.

Yields Array's next sparse index.

last()

Last index and value of the array.

last_idx()

Last index of the array.

last_value()

Last value of the array.

sparse_list()

Get sparse indices and values as :obj:`list`s.

sparse_numpy()

Get sparse indices and values as numpy arrays.

tolist()

Convert to values list

values()

Return values iterator.

Yields Array's next value.

values_list()

Get values as a list.

values_numpy()

Get values as numpy array.

ANONYMIZED TELEMETRY

We constantly seek to improve Aim for the community. Telemetry data helps us immensely by capturing anonymous usage analytics and statistics. You will be notified when you run `aim up`. The telemetry is collected only on the UI. The python package **does not** have any telemetry associated with it.

29.1 Motivation

Aim UI uses segment's analytics toolkit to collect basic info about the usage:

- Anonymized stripped-down basic usage analytics;
- Anonymized number of experiments and run. We constantly improve the storage and UI for performance in case of many experiments. This type of usage analytics helps us to stay on top of the performance problem.

Note: No analytics is installed on the Aim Python package.

29.2 How to opt out

You can turn telemetry off by setting the `AIM_UI_TELEMETRY_ENABLED` environment variable to `0`.

CHANGELOG

30.1 3.7.0 Mar 9, 2022

30.1.1 3.7.0 Mar 9, 2022 - Enhancements:

- Add Run overview tab in run single page (arsengit, VkoHov, KaroMourad, rubenaprikyan)
- Custom max message size for Aim Remote tracking (alberttorosyan)
- Docker images for aim up/server (alberttorosyan)
- TF/Keras adapters refactoring (mihran113)
- Remote tracking client-side retry logic (aramaim)
- Add record_density to initial get-batch request for figures (VkoHov)

30.1.2 3.7.0 Mar 9, 2022 - Fixes:

- Fix rendering new lines in texts visualizer (arsengit)

30.2 3.6.3 Mar 4, 2022

- Fix UI rendering issue on colab (rubenaprikyan)

30.3 3.6.2 Mar 2, 2022

- Fix chart interactions issue in the Single Run Page Metrics tab (roubkar)
- Fix resolve_objects in remote tracking client subtree (alberttorosyan)
- Reject 0 as step/record count (alberttorosyan, VkoHov)
- Fix error on mlflow conversion by experiment id (devfox-se)

30.4 3.6.1 Feb 25, 2022

- Fix issue with aligning x-axis by custom metric (KaroMourad)
- Add `__AIM_PROXY_URL__` env variable to see full proxy url when running `aim up` command(rubenaprikyan)
- Add `--proxy-url` argument to notebook extension's `%aim up` to render UI correctly if there is a proxy server (rubenaprikyan)
- Add SageMaker integration, `jupyter-server-proxy` s bug-fix script (rubenaprikyan, mahnerak)
- Fix animation support in Plotly visualization and figure loading performance (Hamik25, mihran113)
- Display None values in group config column (VkoHov, Hamik25)
- Fix rendering issue on Select form search suggestions list (arsengit)
- Fix `PL.AimLogger save_dir` `AttributeError` (GeeekExplorer)
- Remove `__example_type__` substring from param name (VkoHov)

30.5 3.6.0 Feb 22 2022

30.5.1 3.6.0 Feb 22 2022 - Enhancements:

- Sort params columns in alphabetical order (arsengit)
- Add illustrations for indicating explorer search states (arsengit)
- Ability to export chart as image (KaroMourad)
- Ability to group by `metric.context` (VkoHov)
- Tune manage columns items highlighting styles (VkoHov)
- Set active style on table actions popover buttons with applied changes (arsengit)
- Unification of Run Custom Object APIs (alberttorosyan, VkoHov)
- Aim repo runs data automatic indexing (alberttorosyan)
- Pytorch Lightning adapter refactoring (mihran113)
- Add Pytorch Ignite integration (mihran113)
- Add wildcard support for `aim runs` subcommands (mihran113)
- Add MLflow logs conversion command (devfox-se)
- Add CustomObject implementation for `hub.dataset` (alberttorosyan)

30.5.2 3.6.0 Feb 22 2022 - Fixes:

- Fix live updated data loss after triggering endless scroll (VkoHov)
- Fix system metric columns pinning functionality and grouping column order (arsengit)
- Fix system metrics search in manage columns popover (VkoHov)
- Fix queries on remote repos (mihran113)
- Fix incorrect boolean value formatting (VkoHov)

30.6 3.5.4 Feb 15 2022

- Fix batch archive functionality (VkoHov)
- Add repo lock/release feature (devfox-se)

30.7 3.5.3 Feb 11 2022

- Fix rendering issue in runs explorer page (arsengit)

30.8 3.5.2 Feb 10 2022

- Fix issue with displaying current day activity cell on week's first day (rubenaprikyan)
- Fix issue with filtering options while typing in input of autocomplete in Tooltip and Grouping popovers (rubenaprikyan)

30.9 3.5.1 Feb 4 2022

- Fix folder creation when tracking with remote tracker (aramaim)

30.10 3.5.0 Feb 3 2022**30.10.1 3.5.0 Feb 3 2022 - Enhancements:**

- Ability to hide system metrics from table (arsengit)
- Add input validations to range selectors (Hamik25)
- Improve media panel rendering performance on hovering over images (KaroMourad)
- Add ability to parse and import TensorFlow events into aim (devfox-se)
- Add system parameter logging: CLI, Env, Executable, Git, Installed packages (devfox-se)
- Convert nested non-native objects (e.g. OmegaConf config instance) upon storing (devfox-se)
- Add cli subcommands cp and mv for aim runs command (mihran113)
- Add handler for matplotlib figures in Image and Figure custom objects (devfox-se)

- Improve highlighting of table focused/hovered/selected row (VkoHov)

30.10.2 3.5.0 Feb 3 2022 - Fixes:

- Fix stalled runs deletion (mihran113)
- Fix background transparency in colab when using dark mode of system (rubenaprikyan)
- Fix Grouping and Tooltip popovers states' resetting issue when live-update is on (rubenaprikyan)
- Fix table column's sort functionality issue in Params and Scatters Explorers (rubenaprikyan)

30.11 3.4.1 Jan 23 2022

- Fix issue with displaying experiment name in Images Explorer table (VkoHov)

30.12 3.4.0 Jan 22 2022

- Add ability to apply group stacking on media elements list (KaroMourad)
- Add ability to apply sorting by run creation_time on table rows (roubkar)
- Add ability to filter texts table with keyword matching (roubkar, rubenaprikyan)
- Add ability to delete run from settings tab (Hamik25)
- Enhance controls states of explorer pages (arsengit)
- Add --repo, --host arguments support for notebook extension (VkoHov, rubenaprikyan)
- Add trendline options to ScatterPlot (roubkar)
- Add ability to display images in original size and align by width (arsengit)
- Add version, docs and slack links to sidebar (arsengit)
- Enhance AudioPlayer component (arsengit)
- Recover active tab in run details page after reload (roubkar)
- Add ability to archive or delete runs with batches (VkoHov)
- Remote tracking server [experimental] (alberttorosyan, mihran113, aramaim)
- Add ability to change media elements order (VkoHov)
- Add ability to hard delete runs (alberttorosyan)
- Lossy format support for aim.Image (devfox-se)
- Timezone issues fix for creation and end times (mihran113)

30.13 3.3.5 Jan 14 2022

- Add non-strict write mode to replace not-yet-supported types with their string representations. (mahnerak)
- Log pytorch_lightning hyperparameters in non-strict mode. (mahnerak)

30.14 3.3.4 Jan 10 2022

- Fix issue with WAL files flushing (alberttorosyan)
- Support for omegaconf configs in pytorch_lightning adapter (devfox-se)

30.15 3.3.3 Dec 24 2021

- Fix issue with showing range panel in Images Explorer (roubkar)

30.16 3.3.2 Dec 20 2021

- Fix issue with not providing point density value to live-update query (rubenaprikyan)

30.17 3.3.1 Dec 18 2021

- Fix getValue function to show correct chart title data (KaroMourad)

30.18 3.3.0 Dec 17 2021

- Add ability to track and explore audios in run detail page (arsengit, VkoHov, devfox-se)
- Add ability to track and visualize texts (mihran113, roubkar)
- Fix boolean values encoding (mahnerak)
- Add Scatter Explorer to visualize correlations between metric last value and hyperparameter (KaroMourad)
- Add ability to track and visualize plotly objects (devfox-se, Hamik25, rubenaprikyan)
- Add ability to query distributions by step range and density (VkoHov, rubenaprikyan)
- Add colab notebook support (mihran113, rubenaprikyan)
- Implement images visualization tab in run detail page (VkoHov, KaroMourad)
- Add custom URL prefix support (mihran113, Hamik25, roubkar)
- Enhance metric selection dropdowns to see lists in alphabetical order (rubenaprikyan)

30.19 3.2.2 Dec 10 2021

- Fix Run finalization index timeout issue (alberttorosyan)

30.20 3.2.1 Dec 8 2021

- Add ability to provide custom base path for API (mihran113, roubkar)
- Fix table groups column default order (arsengit)
- Fix table panel height issue in runs explorer page (arsengit)

30.21 3.2.0 Dec 3 2021

- Add ability to cancel pending request (roubkar, arsengit)
- Add support for secure protocol for API calls (mihran113, roubkar)
- Implement image full size view (VkoHov)
- Add ability to manipulate with image size and rendering type (arsengit)
- Enhance Table column for selected grouping config options (arsengit)
- Implement suggestions list for AimQL search (arsengit, rubenaprikyan)
- Add ability to track and visualize distributions (mihran113, rubenaprikyan)
- Add notebook extension, magic functions (rubenaprikyan)

30.22 3.1.1 Nov 25 2021

- Apply default ordering on images set (VkoHov)
- Ability to show image data in a tooltip on hover (KaroMourad)
- Support of Image input additional data sources (alberttorosyan)
- Ability to export run props as pandas dataframe (gorarakelyan)
- Slice image sequence by index for the given steps range (alberttorosyan)
- Improve Images Explorer rendering performance through better images list virtualization (roubkar)

30.23 3.1.0 Nov 20 2021

- Add ability to explore tracked images (VkoHov)
- Improve rendering performance by virtualizing table columns (roubkar)
- Add ability to apply grouping by higher level param key (roubkar)
- Add ability to specify repository path during `aim init` via `--repo` argument (rubenaprikyan)

30.24 3.0.7 Nov 17 2021

- Fix for missing metrics when numpy.float64 values tracked (alberttorosyan)

30.25 3.0.6 Nov 9 2021

- Fix for blocking container optimization for in progress runs (alberttorosyan)

30.26 3.0.5 Nov 9 2021

- Add tqdm package in setup.py required section (mihran113)

30.27 3.0.4 Nov 8 2021

- Switch to aimrocks 0.0.10 - exposes data flushing interface (mihran113)
- Optimize stored data when runs finalized (mihran113)
- Update aim reindex command to run storage optimizations (alberttorosyan)
- Storage partial optimizations on metric/run queries (alberttorosyan)

30.28 3.0.3 Nov 4 2021

- Bump sqlalchemy version to 1.4.1 (alberttorosyan)

30.29 3.0.2 Oct 27 2021

- Switch to aimrocks 0.0.9 - built on rocksdb 6.25.3 (alberttorosyan)
- Remove grouping select options from Params app config (VkoHov)
- Sort metrics data in ascending order for X-axis (KaroMourad)

30.30 3.0.1 Oct 22 2021

- Check telemetry_enabled option on segment initialization (VkoHov)
- Draw LineChart Y-axis (horizontal) tick lines on zooming (KaroMourad)
- Sort select options/params based on input value (roubkar)
- Fix query construction issue for multiple context items (roubkar)
- Fix issue with making API call from Web Worker (VkoHov)

30.31 3.0.0 Oct 21 2021

- Completely revamped UI:
 - Runs, metrics and params explorers
 - Bookmarks, Tags, Homepage
 - New UI works smooth with ~500 metrics displayed at the same time with full Aim table interactions
- Completely revamped storage:
 - 10x faster embedded storage based on Rocksdb
 - Average run query execution time on ~2000 runs: 0.784s
 - Average metrics query execution time on ~2000 runs with 6000 metrics: 1.552s

30.32 2.7.1 Jun 30 2021

- Fix bookmark navigation issue (roubkar)
- Empty metric select on X-axis alignment property change (roubkar)

30.33 2.7.0 Jun 23 2021

- Add ability to export table data as CSV (KaroMourad)
- Add ability to bookmark explore screen state (roubkar)
- Add dashboards and apps API (mihran113)

30.34 2.6.0 Jun 12 2021

- Resolve namedtuple python 3.5 incompatibility (gorarakelyan)
- Add ability to align X-axis by a metric (mihran113, roubkar)
- Add tooltip popover for the chart hover state (roubkar)

30.35 2.5.0 May 27 2021

- Set gunicorn timeouts (mihran113)
- Remove redundant deserialize method (gorarakelyan)
- Move the Flask server to main repo to support ‘docker’less UI (mihran113)

30.36 2.4.0 May 13 2021

- Bump up Aim UI to v1.6.0 (gorarakelyan)
- Add xgboost integration (khazhak)
- Update keras adapter interface (khazhak)
- Convert tensors to python numbers (gorarakelyan)

30.37 2.3.0 Apr 10 2021

- Bump up Aim UI to v1.5.0 (gorarakelyan)
- Set default interval of sys tracking to 10 seconds (gorarakelyan)
- Add ability to track system metrics (gorarakelyan)

30.38 2.2.1 Mar 31 2021

- Bump up Aim UI to v1.4.1 (gorarakelyan)

30.39 2.2.0 Mar 24 2021

- Bump up Aim UI to v1.4.0 (gorarakelyan)
- Add Hugging Face integration (Khazhak)
- Reorganize documentation (Tatevv)

30.40 2.1.6 Feb 26 2021

- Add ability to opt out telemetry (gorarakelyan)
- Remove experiment name from config file when calling repo.remove_branch method (gorarakelyan)

30.41 2.1.5 Jan 7 2021

- Handle NaN or infinite floats passed to artifacts (gorarakelyan)

30.42 2.1.4 Dec 2 2020

- Add ability to specify session run hash (gorarakelyan)
- Initialize repo if it was empty when opening session (gorarakelyan)
- Add validation of map artifact parameters (gorarakelyan)

30.43 2.1.3 Nov 24 2020

- Support comparison of list type contexts (gorarakelyan)

30.44 2.1.2 Nov 24 2020

- Fix empty contexts comparison issue (gorarakelyan)

30.45 2.1.1 Nov 22 2020

- Return only selected params in SelectResult (gorarakelyan)

30.46 2.1.0 Nov 19 2020

- Add AimRepo select method (gorarakelyan)
- Implement SelectResult class (gorarakelyan)

30.47 2.0.27 Nov 13 2020

- Fix issue with artifact step initializer (gorarakelyan)

30.48 2.0.26 Nov 10 2020

- Add `block_termination` argument to `aim.Session` (gorarakelyan)
- Convert infinity parameter to string in artifacts (gorarakelyan)

30.49 2.0.25 Nov 9 2020

- Reconstruct run metadata file when running close command (gorarakelyan)

30.50 2.0.24 Nov 8 2020

- Add SIGTERM signal handler (gorarakelyan)
- Run `track` function in a parallel thread (gorarakelyan)
- Add SDK session flush method (gorarakelyan)
- Flush aggregated metrics at a given frequency (gorarakelyan)
- Update run metadata file only on artifacts update (gorarakelyan)

30.51 2.0.23 Nov 5 2020

- Make experiment name argument required in SDK close command (gorarakelyan)

30.52 2.0.22 Nov 5 2020

- Add SDK `close` method to close dangling experiments (gorarakelyan)

30.53 2.0.21 Nov 1 2020

- Resolve compatibility issues with python 3.5.0 (gorarakelyan)

30.54 2.0.20 Oct 26 2020

- Enable pypi aim package name (gorarakelyan)

30.55 2.0.19 Oct 25 2020

- Add PyTorch Lightning logger (gorarakelyan)
- Add TensorFlow v1 and v2 keras callbacks support (gorarakelyan)

30.56 2.0.18 Oct 7 2020

- Add ability to run Aim UI in detached mode (gorarakelyan)
- Add ability to specify repo path when running Aim UI (gorarakelyan)

30.57 2.0.17 Oct 5 2020

- Rename AimDE to Aim UI (gorarakelyan)

30.58 2.0.16 Oct 2 2020

- Add ability to specify host when running AimDE (gorarakelyan)
- Disable AimContainerCommandManager (gorarakelyan)
- Remove aimde command entry point (gorarakelyan)
- Remove de prefix from development environment management commands (gorarakelyan)

30.59 2.0.15 Sep 21 2020

- Set Map artifact default namespace (gorarakelyan)

30.60 2.0.14 Sep 21 2020

- Set Metric hashable context to None if no kwarg is passed (gorarakelyan)

30.61 2.0.13 Sep 21 2020

- Add ability to query runs by metric value (gorarakelyan)
- Add ability to query runs via SDK (gorarakelyan)

30.62 2.0.12 Sep 12 2020

- Update Session to handle exceptions gracefully (gorarakelyan)

30.63 2.0.11 Sep 11 2020

- Add alias to keras adapter (gorarakelyan)

30.64 2.0.10 Sep 10 2020

- Show progress bar when pulling AimDE image (gorarakelyan)

30.65 2.0.9 Sep 10 2020

- Add ability to start multiple sessions (gorarakelyan)
- Add Aim adapter for keras (gorarakelyan)

30.66 2.0.8 Aug 26 2020

- Set SDK to select only unarchived runs by default (gorarakelyan)
- Add ability to archive/unarchive runs (gorarakelyan)
- Enable search by run attributes (gorarakelyan)
- Add `is not` keyword to AimQL (gorarakelyan)

30.67 2.0.7 Aug 21 2020

- Validate Artifact values before storing (gorarakelyan)
- Add sessions to SDK (gorarakelyan)

30.68 2.0.6 Aug 13 2020

- Add ability to retrieve metrics and traces from repo (gorarakelyan)
- Add SDK `select` method to select runs and artifacts (gorarakelyan)
- Implement search query language (gorarakelyan)

30.69 2.0.5 Jul 18 2020

- Fix issue with PyPI reStructuredText format compatibility (gorarakelyan)

30.70 2.0.4 Jul 18 2020

- Add ability to attach tf.summary logs to AimDE (gorarakelyan)

30.71 2.0.3 Jul 8 2020

- Pass project path to development environment container (gorarakelyan)

30.72 2.0.2 Jul 7 2020

- Make epoch argument optional for `Metric` artifact (gorarakelyan)
- Add ability to automatically commit runs after exit (gorarakelyan)
- Add `aim up` shortcut for running development environment (gorarakelyan)
- Remove first required argument(artifact name) from `sdk track` function (gorarakelyan)
- Add general dictionary artifact for tracking key: value parameters (gorarakelyan)

30.73 2.0.1 Jun 24 2020

- Fix inconsistent DE naming (gorarakelyan)

30.74 2.0.0 Jun 18 2020

- Tidy up aim and remove some artifacts (gorarakelyan)
- Update `AimContainerCMD` to open connection on custom port (gorarakelyan)
- Save passed process uuid to commit configs (gorarakelyan)
- Ability to query processes (gorarakelyan)
- Execute process and store logs into a commit of specific experiment (gorarakelyan)
- Kill running process and its children recursively (gorarakelyan)
- Keep executed processes for monitoring and management (gorarakelyan)
- Add container command handler to exec commands on the host (gorarakelyan)
- Refactor `Text` artifact to store sentences using `protobuf` and `aimrecords` (jamesj-jiao)
- Add ability to pass aim board port as an argument (gorarakelyan)

30.75 1.2.17 May 8 2020

- Add config command (gorarakelyan)
- Tune artifacts: images, metric_groups, params (gorarakelyan)

30.76 1.2.16 Apr 29 2020

- Add ability to pass numpy array as a segmentation mask (gorarakelyan)

30.77 1.2.15 Apr 29 2020

- Add basic image list tracking (gorarakelyan)

30.78 1.2.14 Apr 27 2020

- Optimize segmentation tracking insight to load faster (gorarakelyan)

30.79 1.2.13 Apr 25 2020

- Remove GitHub security alert (gorarakelyan)
- Add image semantic segmentation tracking (gorarakelyan)

30.80 1.2.12 Apr 20 2020

- Add missing init file for aim.artifacts.proto (@mike1808)

30.81 1.2.11 Apr 16 2020

- Make epoch property optional for Metric (gorarakelyan)

30.82 1.2.10 Apr 16 2020

- Serialize and store Metric records using protobuf and aimrecords (gorarakelyan)
- Create RecordWriter factory which handles artifact records saving (gorarakelyan)
- Extract artifact serialization to ArtifactWriter (mike1808)

30.83 1.2.9 Mar 16 2020

- Alert prerequisites installation message for running board (gorarakelyan)

30.84 1.2.8 Mar 15 2020

- Update profiler interface for keras (gorarakelyan)

30.85 1.2.7 Mar 14 2020

- Add board pull command (gorarakelyan)
- Change board ports to 43800,1,2 (gorarakelyan)
- Add ability to profile graph output nodes (gorarakelyan)
- Remove issue with autograd inside while loop (gorarakelyan)
- Add aim board development mode (gorarakelyan)
- Update board name hash algorithm to md5 (gorarakelyan)
- Add board CLI commands: up, down and upgrade (gorarakelyan)
- Add ability to tag version as a release candidate (gorarakelyan)

30.86 1.2.6 Feb 28 2020

- Add learning rate update tracking (gorarakelyan)

30.87 1.2.5 Feb 25 2020

- Add autocommit feature to push command: `aim push -c [-m <msg>]` (gorarakelyan)
- Add cli status command to list branch uncommitted artifacts (gorarakelyan)
- Add an ability to aggregate duplicated nodes within a loop (gorarakelyan)
- Remove gradient break issue when profiling output nodes (gorarakelyan)

30.88 1.2.4 Feb 20 2020

- Enable profiler to track nodes inside loops (gorarakelyan)
- Ability to disable profiler for evaluation or inference (gorarakelyan)

30.89 1.2.3 Feb 13 2020

- Set minimum required python version to 3.5.2 (gorarakelyan)

30.90 1.2.2 Feb 13 2020

- Downgrade required python version (gorarakelyan)

30.91 1.2.1 Feb 13 2020

- Edit README.md to pass reStructuredText validation on pypi (gorarakelyan)

30.92 1.2.0 Feb 13 2020

- Make aim CLI directly accessible from main.py (gorarakelyan)
- Add disk space usage tracking (gorarakelyan)
- Add profiler support for Keras (gorarakelyan)
- Add TensorFlow graph nodes profiler (gorarakelyan)
- Add command to run aim live container mounted on aim repo (gorarakelyan)
- Update profiler to track GPU usage (gorarakelyan)
- Add machine resource usage profiler (gorarakelyan)

30.93 1.1.1 Jan 14 2020

- Remove aim dependencies such as keras, pytorch and etc (gorarakelyan)

30.94 1.1.0 Jan 12 2020

- Update code diff tracking to be optional (gorarakelyan)
- Add default False value to aim init function (gorarakelyan)
- Update aim repo to correctly identify cwd (gorarakelyan)
- Update push command to commit if msg argument is specified (gorarakelyan)
- Add ability to initialize repo from within the sdk (gorarakelyan)

30.95 1.0.2 Jan 7 2020

- Remove objects dir from empty .aim branch index (gorarakelyan)

30.96 1.0.1 Dec 26 2019

- Add cil command to print aim current version (gorarakelyan)

30.97 1.0.0 Dec 25 2019

- Add aim version number in commit config file (gorarakelyan)
- Update push command to send username and check storage availability (gorarakelyan)
- Add hyper parameters tracking (gorarakelyan)
- Update push command to print shorter file names when pushing to remote (gorarakelyan)
- Update tracking artifacts to be saved in log format (gorarakelyan)
- Add pytorch cuda support to existing sdk artefacts (gorarakelyan)
- Add cli reset command (gorarakelyan)
- Add nested module tracking support to aim sdk (gorarakelyan)
- Add code difference tracking to aim sdk (gorarakelyan)
- Update aim push command to send commits (gorarakelyan)
- Add commit structure implementation (gorarakelyan)
- Add aim commit command synchronized with git commits (gorarakelyan)
- Add version control system factory (gorarakelyan)
- Update all insights example (gorarakelyan)
- Add model gradients tracking (gorarakelyan)
- Add model weights distribution tracking (gorarakelyan)
- Add aim correlation tracking (gorarakelyan)

30.98 0.2.9 Nov 30 2019

- Update push tolerance when remote origin is invalid (gorarakelyan)

30.99 0.2.8 Nov 30 2019

- Update aim auth public key search algorithm (gorarakelyan)

30.100 0.2.7 Nov 14 2019

- Update dependencies torch and torchvision versions (sgevorg)

30.101 0.2.6 Nov 5 2019

- Update aim track logger (gorarakelyan)

30.102 0.2.5 Nov 4 2019

- Add branch name validation (gorarakelyan)
- Add single branch push to aim push command (gorarakelyan)

30.103 0.2.4 Nov 3 2019

- Update aim auth print format (gorarakelyan)
- Update setup.py requirements (gorarakelyan)

30.104 0.2.3 Nov 3 2019

- Update package requirements (gorarakelyan)

30.105 0.2.2 Nov 1 2019

- Update package requirements (sgevorg)

30.106 0.2.1 Nov 1 2019

- Add paramiko to required in setup.py (sgevorg)

30.107 0.2.0 Nov 1 2019

- Update the repo to prep for open source pypi push (sgevorg)
- Add error and activity logging (sgevorg)
- Add push command robustness (gorarakelyan)
- Add cli auth command (gorarakelyan)
- Add public key authentication (gorarakelyan)
- Update push to send only branches (gorarakelyan)
- Add branching command line interface (gorarakelyan)
- Update skd interface (gorarakelyan)
- Add pytorch examples inside examples directory (gorarakelyan)
- Add model load sdk method (gorarakelyan)
- Add model checkpoint save tests (gorarakelyan)
- Update file sending protocol (gorarakelyan)
- Add model tracking (gorarakelyan)

30.108 0.1.0 - Sep 23 2019

- Update setup py to build cython extensions (gorarakelyan)
- Update tcp client to send multiple files through one connection (gorarakelyan)
- Update tcp client to send images (gorarakelyan)
- Update sdk track functionality to support multiple metrics (gorarakelyan)
- Update push command for sending repo to a given remote (gorarakelyan)
- Add cli remote commands (gorarakelyan)
- Update cli architecture from single group of commands to multiple groups (gorarakelyan)
- Add testing env first skeleton and versions (sgevorg)
- Add dummy exporting files from .aim-test (sgevorg)
- Add description for Testing Environment (sgevorg)
- Update metadata structure and handling (sgevorg)
- Add support for seq2seq models (sgevorg)
- Update the output of docker image build to be more informative and intuitive (sgevorg)
- Update README.MD with changed Aim messaging (sgevorg)
- Remove setup.cfg file (maybe temporarily) (sgevorg)
- Update the location for docker build template files, move to data/ (sgevorg)
- Update the docs/cli.md for aim-deploy docs (sgevorg)
- Add docker deploy .aim/deploy_temp/<model> cleanup at the end of the build (sgevorg)
- Add Docker Deploy via aim-deploy command (sgevorg)

- Add Docker image generate skeleton (sgevorg)
- Add AimModel.load_mode static function to parse .aim files (sgevorg)
- Update exporter to decouple from specifics of exporting and framework (sgevorg)
- Add model export with .aim extension (sgevorg)
- Remove pack/unpack of the metadata (sgevorg)
- Add pack/unpack to add metadata to model for engine processing (sgevorg)
- Add aim-deploy command configuration in cli (sgevorg)
- Add basic cli (sgevorg)
- Update setup.py for cli first version (sgevorg)
- Add initial cli specs (sgevorg)
- Add directories: the initial skeleton of the repo (sgevorg)
- Add gitignore, license file and other basics for repo (sgevorg)

INDICES AND TABLES

- `genindex`
- `modindex`

PYTHON MODULE INDEX

a

- `aim.sdk.objects.audio`, 102
- `aim.sdk.objects.distribution`, 101
- `aim.sdk.objects.figure`, 102
- `aim.sdk.objects.image`, 100
- `aim.sdk.objects.text`, 102
- `aim.sdk.repo`, 93
- `aim.sdk.run`, 96
- `aim.sdk.sequence`, 103
- `aim.sdk.sequence_collection`, 105
- `aim.sdk.sequences.audio_sequence`, 104
- `aim.sdk.sequences.distribution_sequence`, 104
- `aim.sdk.sequences.figure_sequence`, 104
- `aim.sdk.sequences.image_sequence`, 103
- `aim.sdk.sequences.text_sequence`, 104
- `aim.storage.arrayview`, 107

Symbols

`__delitem__()` (*aim.sdk.run.Run method*), 96
`__getitem__()` (*aim.sdk.run.Run method*), 96
`__setitem__()` (*aim.sdk.run.Run method*), 97

A

`add_tag()` (*aim.sdk.run.Run method*), 97
`aim.sdk.objects.audio`
 module, 102
`aim.sdk.objects.distribution`
 module, 101
`aim.sdk.objects.figure`
 module, 102
`aim.sdk.objects.image`
 module, 100
`aim.sdk.objects.text`
 module, 102
`aim.sdk.repo`
 module, 93
`aim.sdk.run`
 module, 96
`aim.sdk.sequence`
 module, 103
`aim.sdk.sequence_collection`
 module, 105
`aim.sdk.sequences.audio_sequence`
 module, 104
`aim.sdk.sequences.distribution_sequence`
 module, 104
`aim.sdk.sequences.figure_sequence`
 module, 104
`aim.sdk.sequences.image_sequence`
 module, 103
`aim.sdk.sequences.text_sequence`
 module, 104
`aim.storage.arrayview`
 module, 107
`allowed_dtypes()` (*aim.sdk.sequence.Sequence class method*), 103
`archived` (*aim.sdk.run.Run property*), 99
`ArrayView` (*class in aim.storage.arrayview*), 107
`Audio` (*class in aim.sdk.objects.audio*), 102

`Audios` (*class in aim.sdk.sequences.audio_sequence*), 104

B

`bin_count` (*aim.sdk.objects.distribution.Distribution property*), 101

C

`caption` (*aim.sdk.objects.image.Image property*), 100
`collect_params_info()` (*aim.sdk.repo.Repo method*), 93
`collect_sequence_info()` (*aim.sdk.repo.Repo method*), 93
`collect_sequence_info()` (*aim.sdk.run.Run method*), 97
`copy_runs()` (*aim.sdk.repo.Repo method*), 93
`creation_time` (*aim.sdk.run.Run property*), 99

D

`dataframe()` (*aim.sdk.run.Run method*), 97
`default_repo()` (*aim.sdk.repo.Repo class method*), 93
`delete_run()` (*aim.sdk.repo.Repo method*), 94
`delete_runs()` (*aim.sdk.repo.Repo method*), 94
`description` (*aim.sdk.run.Run property*), 99
`Distribution` (*class in aim.sdk.objects.distribution*), 101
`Distributions` (*class in aim.sdk.sequences.distribution_sequence*), 104

E

`end_time` (*aim.sdk.run.Run property*), 99
`epochs` (*aim.sdk.sequence.Sequence property*), 103
`exists()` (*aim.sdk.repo.Repo class method*), 94
`experiment` (*aim.sdk.run.Run property*), 99

F

`Figure` (*class in aim.sdk.objects.figure*), 102
`Figures` (*class in aim.sdk.sequences.figure_sequence*), 104
`first()` (*aim.storage.arrayview.ArrayView method*), 107

`first_idx()` (*aim.storage.arrayview.ArrayView method*), 107

`first_step()` (*aim.sdk.sequences.distribution_sequence.Distributions method*), 104

`first_step()` (*aim.sdk.sequences.figure_sequence.Figures method*), 104

`first_value()` (*aim.storage.arrayview.ArrayView method*), 107

`format` (*aim.sdk.objects.image.Image property*), 100

`from_path()` (*aim.sdk.repo.Repo class method*), 94

G

`get()` (*aim.sdk.objects.audio.Audio method*), 102

`get_audio_sequence()` (*aim.sdk.run.Run method*), 97

`get_distribution_sequence()` (*aim.sdk.run.Run method*), 97

`get_figure_sequence()` (*aim.sdk.run.Run method*), 98

`get_image_sequence()` (*aim.sdk.run.Run method*), 98

`get_metric()` (*aim.sdk.run.Run method*), 98

`get_run()` (*aim.sdk.repo.Repo method*), 94

`get_text_sequence()` (*aim.sdk.run.Run method*), 98

H

`height` (*aim.sdk.objects.image.Image property*), 101

I

`Image` (*class in aim.sdk.objects.image*), 100

`Images` (*class in aim.sdk.sequences.image_sequence*), 103

`indices` (*aim.sdk.sequence.Sequence property*), 103

`indices()` (*aim.storage.arrayview.ArrayView method*), 107

`indices_list()` (*aim.storage.arrayview.ArrayView method*), 107

`indices_numpy()` (*aim.storage.arrayview.ArrayView method*), 107

`items()` (*aim.storage.arrayview.ArrayView method*), 107

`iter()` (*aim.sdk.sequence_collection.SequenceCollection method*), 105

`iter_metrics_info()` (*aim.sdk.run.Run method*), 98

`iter_runs()` (*aim.sdk.repo.Repo method*), 94

`iter_runs()` (*aim.sdk.sequence_collection.SequenceCollection method*), 105

`iter_sequence_info_by_type()` (*aim.sdk.run.Run method*), 98

J

`json()` (*aim.sdk.objects.audio.Audio method*), 102

`json()` (*aim.sdk.objects.distribution.Distribution method*), 101

`json()` (*aim.sdk.objects.figure.Figure method*), 102

`json()` (*aim.sdk.objects.image.Image method*), 100

K

`keys()` (*aim.storage.arrayview.ArrayView method*), 107

L

`last()` (*aim.storage.arrayview.ArrayView method*), 107

`last_idx()` (*aim.storage.arrayview.ArrayView method*), 107

`last_step()` (*aim.sdk.sequences.distribution_sequence.Distributions method*), 104

`last_step()` (*aim.sdk.sequences.figure_sequence.Figures method*), 104

`last_value()` (*aim.storage.arrayview.ArrayView method*), 107

M

`metrics()` (*aim.sdk.run.Run method*), 98

`module`

aim.sdk.objects.audio, 102

aim.sdk.objects.distribution, 101

aim.sdk.objects.figure, 102

aim.sdk.objects.image, 100

aim.sdk.objects.text, 102

aim.sdk.repo, 93

aim.sdk.run, 96

aim.sdk.sequence, 103

aim.sdk.sequence_collection, 105

aim.sdk.sequences.audio_sequence, 104

aim.sdk.sequences.distribution_sequence, 104

aim.sdk.sequences.figure_sequence, 104

aim.sdk.sequences.image_sequence, 103

aim.sdk.sequences.text_sequence, 104

aim.storage.arrayview, 107

`move_runs()` (*aim.sdk.repo.Repo method*), 94

N

`name` (*aim.sdk.run.Run property*), 100

Q

`query_audios()` (*aim.sdk.repo.Repo method*), 95

`query_distributions()` (*aim.sdk.repo.Repo method*), 95

`query_figure_objects()` (*aim.sdk.repo.Repo method*), 95

`query_images()` (*aim.sdk.repo.Repo method*), 95

`query_metrics()` (*aim.sdk.repo.Repo method*), 95

`query_runs()` (*aim.sdk.repo.Repo method*), 95

`query_texts()` (*aim.sdk.repo.Repo method*), 95

`QueryRunSequenceCollection` (*class in aim.sdk.sequence_collection*), 105

QuerySequenceCollection (class in *aim.sdk.sequence_collection*), 105

R

range (*aim.sdk.objects.distribution.Distribution* property), 101

ranges (*aim.sdk.objects.distribution.Distribution* property), 101

remove_tag() (*aim.sdk.run.Run* method), 99

Repo (class in *aim.sdk.repo*), 93

rm() (*aim.sdk.repo.Repo* class method), 96

Run (class in *aim.sdk.run*), 96

S

Sequence (class in *aim.sdk.sequence*), 103

sequence_name() (*aim.sdk.sequence.Sequence* class method), 103

sequence_name() (*aim.sdk.sequences.audio_sequence.Audios* class method), 104

sequence_name() (*aim.sdk.sequences.distribution_sequence.Distributions* class method), 104

sequence_name() (*aim.sdk.sequences.figure_sequence.Figures* class method), 104

sequence_name() (*aim.sdk.sequences.image_sequence.Images* class method), 103

sequence_name() (*aim.sdk.sequences.text_sequence.Texts* class method), 104

SequenceCollection (class in *aim.sdk.sequence_collection*), 105

SingleRunSequenceCollection (class in *aim.sdk.sequence_collection*), 105

size (*aim.sdk.objects.image.Image* property), 101

sparse_list() (*aim.storage.arrayview.ArrayView* method), 107

sparse_numpy() (*aim.storage.arrayview.ArrayView* method), 107

T

tags (*aim.sdk.run.Run* property), 100

Text (class in *aim.sdk.objects.text*), 102

Texts (class in *aim.sdk.sequences.text_sequence*), 104

timestamps (*aim.sdk.sequence.Sequence* property), 103

to_np_histogram() (*aim.sdk.objects.distribution.Distribution* method), 101

to_numpy() (*aim.sdk.objects.audio.Audio* method), 102

to_pil_image() (*aim.sdk.objects.image.Image* method), 100

tolist() (*aim.storage.arrayview.ArrayView* method), 108

track() (*aim.sdk.run.Run* method), 99

V

values (*aim.sdk.sequence.Sequence* property), 103

values() (*aim.storage.arrayview.ArrayView* method), 108

values_list() (*aim.storage.arrayview.ArrayView* method), 108

values_numpy() (*aim.storage.arrayview.ArrayView* method), 108

W

weights (*aim.sdk.objects.distribution.Distribution* property), 102

width (*aim.sdk.objects.image.Image* property), 101